

HP2-Z37^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/hp2-z37.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/hp2-z37.html 2024 Latest geekcert HP2-Z37 PDF and VCE dumps Download

QUESTION 1

Which security benefit does SNMPv3 offer that SNMPv2 does not offer?

- A. Data integrity
- B. SSL encryption
- C. RADIUS groups
- D. Scopes

Correct Answer: A

QUESTION 2

A network administrator has copied new software to an HP ProVision switch and placed this software in the secondary flash location. The switch is currently booting from the primary flash location. The administrator wants the switch to start using the new software.

What should the administrator do to accomplish this?

- A. Execute the command to boot the system from the secondary flash.
- B. Reboot the switch, which automatically causes the switch to use the newer software.
- C. Copy the secondary software to the primary software slot.
- D. Rename the secondary software as the primary software.

Correct Answer: A

QUESTION 3

An administrator is configuring OSPF on an HP ProVision switch. What is one of the steps that the administrator must take?

- A. The administrator must create an OSPF area before assigning a VLAN interface to that area.
- B. The administrator must set a global router ID before enabling OSPF.
- C. The administrator must set an OSPF router ID before enabling OSPF.
- D. The administrator must assign a VLAN interface its IP address before specifying the corresponding network in an OSPF area.

Correct Answer: A

QUESTION 4



https://www.geekcert.com/hp2-z37.html

2024 Latest geekcert HP2-Z37 PDF and VCE dumps Download

What is the maximum number of active links supported between a device and HP ProVision switches when distributed trunking is used to connect the device to the ProVision switches?

A. Two

B. Four

C. Six

D. Eight

Correct Answer: A

QUESTION 5

A network administrator executes these commands on an HP ProVision switch: ProVision(config)# ip route 10.1.100.0/24 10.1.1.1 ProVision(config)# ip route 10.1.200.0/24 10.1.1.1 The administrator attempts to ping a device in the 10.1.100.0/24 network from a client attached to the switch and is unable to ping it. Assume there are no firewalls and all other settings are correct. What must the administrator configure on

the ProVision switch to get a response?

- A. ProVision(config)# ip routing
- B. ProVision(config)# spanning-tree disable
- C. ProVision(config)# routing enable
- D. ProVision(config)# routingProVision(config-router)# ip enable

Correct Answer: A

Latest HP2-Z37 Dumps

HP2-Z37 Practice Test

HP2-Z37 Study Guide