



# HPE0-J50<sup>Q&As</sup>

Integrating Protected HPE Storage Solutions

**Pass HP HPE0-J50 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-j50.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

When using the CLI for performance monitoring on an HPE 3PAR array, for which component in the datapath would the “stavlun” command give an output? (Click on the correct option.)

Hot Area:



1


2

3

4

5

Correct Answer:



## QUESTION 2

What factors does a storage integrator need to consider before implementing an Ethernet-based SAN?

- A. Data Center Bridging requires supported switches and NICs.
- B. Remote Direct Memory Access (RDMA) support is mandatory for all components.
- C. Data Center Bridging requires optical fiber cables.
- D. Remote Direct Memory Access (RDMA) requires optical fiber cables.

Correct Answer: A



### QUESTION 3

Click on an available port that can be used to connect an HPE 3PAR StoreServ 8000 to drive enclosures. (Click on the correct port.)

Hot Area:



Correct Answer:



Reference: [https://hpe.kx.com.tw/file/repository/a00004511enw\\_omq99\\_7yi1ipz.pdf](https://hpe.kx.com.tw/file/repository/a00004511enw_omq99_7yi1ipz.pdf)



### QUESTION 4

A customer has the following components installed and running:

- HPE 3PAR StoreServ 8400 with two nodes
- three SFF drive shelves
- FC-based host connections
- a mixture of SSDs and SAS HDDs

The task is to expand the solution with two nodes and another three SFF drive shelves, as well as SSDs and SAS HDDs.

What must be checked at the customer site before beginning the installation?



- A. if there is space for the additional three SFF drive shelves adjacent to the existing drive shelves
- B. if there is space for the second node pair adjacent to the first node pair
- C. if there is the required number of High Density Active Optical Cables to connect the two node pairs
- D. if the license for enabling the second node pair is installed before starting the expansion

Correct Answer: A

---

#### QUESTION 5

A storage integrator has connected a new Windows Server 2008 R2 host to an HPE 3PAR StoreServ array. After creating a new 3PAR Virtual Volume and exporting it to the new host, the Disk Management tool on the host is displaying two new drives.

Which additional software should the technician install to consolidate the displayed drive?

- A. Storage Spaces
- B. Enhanced Storage
- C. File and Storage Services
- D. Multipath I/O feature

Correct Answer: D

[Latest HPE0-J50 Dumps](#)

[HPE0-J50 Study Guide](#)

[HPE0-J50 Braindumps](#)