

HPE0-J50^{Q&As}

Integrating Protected HPE Storage Solutions

Pass HP HPE0-J50 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/hpe0-j50.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/hpe0-j50.html 2024 Latest geekcert HPE0-J50 PDF and VCE dumps Download

QUESTION 1

As a best practice, what should the Integrator do after finishing a storage solution installation?

- A. Remove and insert each hot swappable component one-by-one.
- B. Verify the used space in a rack.
- C. Test storage solution functionality under the operational temperature range.
- D. Verify the event logs are accumulating data.

Correct Answer: C

QUESTION 2

Which management interface or tool primarily offers remote support capabilities for an HPE 3PAR StoreServ storage system?

- A. HPE 3PAR Service Processor
- B. HPE 3PAR Direct Connect
- C. HPE Insight Remote Support
- D. HPE Insight Online 3PAR

Correct Answer: C

Reference: https://www.hpe.com/emea_europe/en/services/get-connected.html

QUESTION 3

What factors does a storage integrator need to consider before implementing an Ethernet-based SAN?

- A. Data Center Bridging requires supported switches and NICs.
- B. Remote Direct Memory Access (RDMA) support is mandatory for all components.
- C. Data Center Bridging requires optical fiber cables.
- D. Remote Direct Memory Access (RDMA) requires optical fiber cables.

Correct Answer: A

QUESTION 4

A storage integrator is planning an HPE StoreVirtual VSA installation. Which network-related information may be needed for the implementation?



https://www.geekcert.com/hpe0-j50.html 2024 Latest geekcert HPE0-J50 PDF and VCE dumps Download

- A. DHCP reservation for virtual IP address of the StoreVirtual cluster
- B. jumbo frames need to be enabled for iSCSI traffic
- C. flow-control needs to be disabled when using 10Gb NICs
- D. virtual IP address for the StoreVirtual cluster

Correct Answer: D

Reference: https://support.hpe.com/hpsc/doc/public/display?docld=c05049837 (4)

QUESTION 5

A storage integrator is creating a domain in the 3PAR StoreServ Management Console (SSMC).

Which settings of a 3PAR virtual domain have to be configured? (Choose two.)

- A. Name
- B. OpenLDAP server
- C. Active Directory Domain Controller
- D. Storage Controller
- E. Storage System

Correct Answer: AE

<u>Latest HPE0-J50 Dumps</u> <u>HPE0-J50 VCE Dumps</u> <u>HPE0-J50 Practice Test</u>