



HPE0-J74^{Q&As}

Foundations of HPE Storage Solutions

Pass HP HPE0-J74 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-j74.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer is considering investing in a Fibre Channel. SAN-based infrastructure. They need to support mixed speed devices of 8 Gb and 16 Gb Fibre Channel and would like to be able to gradually add ports as the company grows. Which entry-level SAN switch should you recommend to meet these requirements?

- A. HPE 8/20q Fibre Channel Switch
- B. Cisco MDS 9124 Fabric Switch
- C. HPE SN6500B Fibre Channel Switch
- D. HPE SN3000B Fibre Channel Switch

Correct Answer: C

QUESTION 2

What is a benefit of the HPE MSA architecture?

- A. scales out to meet small and medium-size business virtualization needs
- B. built on HPE ProLiant Gen9 server technology
- C. offers ASIC-based hardware acceleration of thin technologies
- D. supports direct SAS connection (or up to four servers)

Correct Answer: D

QUESTION 3

Before upgrading your customers SAN fabric based on HPE B-series switches, you need the firmware and switch-and-port status information for the current switches. Which commands can be run to obtain this information? (Select two.)

- A. showver
- B. switchshow
- C. version
- D. fabricshow
- E. showport

Correct Answer: BC

QUESTION 4



What defines the maximum tolerable amount of data loss from a service disruption?

- A. RPO
- B. SLO
- C. SLA
- D. RTO

Correct Answer: A

QUESTION 5

What must you configure on a host system to connect to iSCSI storage?

- A. iSCSI initiator
- B. iSCSI expander
- C. iSCSI array
- D. iSCSI target

Correct Answer: D

[HPE0-J74 PDF Dumps](#)

[HPE0-J74 Exam Questions](#)

[HPE0-J74 Braindumps](#)