



# HPE0-J77<sup>Q&As</sup>

Designing HPE Backup Solutions

**Pass HP HPE0-J77 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-j77.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A Customer is requesting a product that enables them to maintain the backup in their HPE Data Protector Software and to replicate the data without the need for re-hydration.

Which product should you recommend\?

- A. HPE StoreOnce Catalyst
- B. HPE Tape Library +
- C. HPE VTL
- D. HPE NAS Store

Correct Answer: A

### QUESTION 2

What is a disadvantage of Breakaway Mirror Clones?

- A. Data is at risk during the break.
- B. Deleted files are not tracked.
- C. Multiple sets of data exist.
- D. They increase the I/O load to resynchronize.

Correct Answer: D

### QUESTION 3

Refer to Exhibit:

Max 3PAR StorServ Storage arrays	16	8	4	2
Max 3PAR Vols	64k	32k	16k	8k
Max StoreOnce Backup systems	16	8	4	2
Max StoreOnce Catalyst Stores	192	96	48	24
No of Snapshots per minute without backup	160	160	160	96
No of Snapshots per minute with backup	80	80	80	48
Max Recovery Sets Backed Up In Parallel	32	16	8	4
Max Volumes Per Recovery Set	8	8	8	8
Max Volume Size	16 TB	16 TB	16 TB	16 TB
Max Streams Per Volume	16	16	16	16
Max synthetic full speed (TB/hr)	80	40	20	10
Max restore speed (TB/hr)	5	5	4	2
Max Streams	256	128	64	32

Notes:

1. Migration does not support multi-RMC configuration. It is advised to first configure single RMC instance and migrate the data and then add other RMC instances
2. Multi RMC is not supported for 3PAR Remote Copy Solution
3. Internet Explorer is not supported for upgrading from RMC 1.0 to 1.1

You size an HPE Recovery Manager Central (RMC) solution for a customer\’s environment. The customer uses two



HPE StoreServ systems and wants to run eight Recovery Set backups in parallel. To achieve the RTO, 4.5 TB of data must be restored per hour

What is the minimum configuration that must be planned for the RMC host?

- A. 2 vCPU / 8 GB VRAM
- B. 4vCPU/16GBvRAM
- C. 8 vCPU / 32 GB VRAM
- D. 16 vCPU/64 GB VRAM

Correct Answer: C

#### QUESTION 4

A customer with a LAN/SAN environment is considering HPE 3PAR for an upcoming storage refresh, but has a tight budget The customer needs 200 TB of Fibre Channel- attached, very low latency, block-storage for application servers, and 10 TB of LAN- attached storage for end-user file/file shares for about 100 end-users. They want to use as much of their existing systems as possible and would like to continue using the ISV backup system installed last year to back up the block-based and file/file share data and files, respectively.

The customer sees a presentation that includes details on the HPE 3PAR File Persona features and they like the idea of consolidating their Fibre Channel and LAN-based storage onto one storage platform. You deliver technical presentations on the HPE StoreOnce and StoreEver backup offerings. The customer asks for an HPE 3PAR solution proposal that includes provisions for backup-to-local disk and tape of all SAN-attached data, and minimal backup-to-disk for all LAN-attached data.

Your sales team is proposing a combined HPE 3PAR StorServ 8000. HPE StoreOnce Backup System, and HPE StoreEver solution and is working on the HPE 3PAR configuration You are developing the proposals for the HPE StoreOnce and HPE StoreEver configurations. While analyzing ways to reduce costs, you determine that the customer's backup windows are achievable with either their Fibre Channel SAN or Ethernet environment.

Which additional information should you obtain to enable you to recommend the most cost- effective solution?

- A. What is the skill level of the backup administrators?
- B. How much power and floor/rack space will the new proposed solution require?
- C. Does the customer's ISV Backup System support iSCSI?
- D. Does the customer's ISV Backup System support NDMP?

Correct Answer: D

#### QUESTION 5

Which statement is correct about enabling data-at-rest or in-flight encryption on a physical HPE StoreOnce appliance?

- A. Encryption is enabled by default
- B. Encryption is not possible on HPE StoreOnce



C. Encryption is a function of the backup application.

D. The HPE StoreOnce Security Pack license must be installed

Correct Answer: D

[HPE0-J77 VCE Dumps](#)

[HPE0-J77 Study Guide](#)

[HPE0-J77 Exam Questions](#)