



# HPE0-J77<sup>Q&As</sup>

Designing HPE Backup Solutions

**Pass HP HPE0-J77 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-j77.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

What is the purpose of encryption of data-at-rest on a backup device?

- A. It prevents external access to the removable media
- B. it prevents unauthorized users from restoring the data
- C. It protects removable media from unauthorized access
- D. It allows security auditing of data on the storage device

Correct Answer: C

**QUESTION 2**

A Customer is requesting a product that enables them to maintain the backup in their HPE Data Protector Software and to replicate the data without the need for re-hydration.

Which product should you recommend\?

- A. HPE StoreOnce Catalyst
- B. HPE Tape Library +
- C. HPE VTL
- D. HPE NAS Store

Correct Answer: A

**QUESTION 3**

Refer to Exhibit:

Max 3PAR StorServ Storage arrays	16	8	4	2
Max 3PAR Vols	64k	32k	16k	8k
Max StoreOnce Backup systems	16	8	4	2
Max StoreOnce Catalyst Stores	192	96	48	24
No of Snapshots per minute without backup	160	160	160	96
No of Snapshots per minute with backup	80	80	80	48
Max Recovery Sets Backed Up In Parallel	32	16	8	4
Max Volumes Per Recovery Set	8	8	8	8
Max Volume Size	16 TB	16 TB	16 TB	16 TB
Max Streams Per Volume	16	16	16	16
Max synthetic full speed (TB/hr)	80	40	20	10
Max restore speed (TB/hr)	5	5	4	2
Max Streams	256	128	64	32

Notes:

1. Migration does not support multi-RMC configuration. It is advised to first configure single RMC instance and migrate the data and then add other RMC instances
2. Multi RMC is not supported for 3PAR Remote Copy Solution
3. Internet Explorer is not supported for upgrading from RMC 1.0 to 1.1

You size an HPE Recovery Manager Central (RMC) solution for a customer\’s environment. The customer uses two



HPE StoreServ systems and wants to run eight Recovery Set backups in parallel. To achieve the RTO, 4.5 TB of data must be restored per hour

What is the minimum configuration that must be planned for the RMC host?

- A. 2 vCPU / 8 GB VRAM
- B. 4vCPU/16GBvRAM
- C. 8 vCPU / 32 GB VRAM
- D. 16 vCPU/64 GB VRAM

Correct Answer: C

#### QUESTION 4

Which statement is correct about enabling data-at-rest or in-flight encryption on a physical HPE StoreOnce appliance?

- A. Encryption is enabled by default
- B. Encryption is not possible on HPE StoreOnce
- C. Encryption is a function of the backup application.
- D. The HPE StoreOnce Security Pack license must be installed

Correct Answer: D

#### QUESTION 5

Arrange the levels of data availability in the correct sequence, from highest to lowest

Select and Place:

	Sequence	
High Availability	1	<input type="text"/>
Fault Tolerant	2	<input type="text"/>
Conventional	3	<input type="text"/>
Highly Reliable	4	<input type="text"/>
Fault Resilient	5	<input type="text"/>



Correct Answer:

Sequence	
1	Fault Tolerant
2	Fault Resilient
3	High Availability
4	Highly Reliable
5	Conventional

[HPE0-J77 PDF Dumps](#)

[HPE0-J77 Practice Test](#)

[HPE0-J77 Braindumps](#)