



HPE0-J80^{Q&As}

Delta - Architecting Multi-Site HPE Storage Solutions

Pass HP HPE0-J80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-j80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You present an HPE 3PAR StoreServ 8450 all-flash solution to a customer's C-level management.

Which HPE 3PAR technologies should you focus on to convince the CIO that your proposed solution is more cost-efficient competitor products? (Select two.)

- A. thin deduplication
- B. adaptive sparing
- C. express writes
- D. virtual copy
- E. virtual domains

Correct Answer: AB

QUESTION 2

A customer needs a disaster-tolerant replication solution for its Oracle database. The database consists of only one 500 GB volume. You recommend a Remote Copy solution based on HPE 3PAR StoreServ 8200 systems.

Which statement is correct when using multiple RCIP or Fibre Channel ports for this design?

- A. Synchronous replication mode must be used
- B. Asynchronous streaming replication mode must be used
- C. All available links of the same type are used for replication
- D. All available links are used for replication

Correct Answer: A

QUESTION 3

You design and size an HPE StoreVirtual solution for an SMB customer environment according to these requirements.

- High availability between two data centers is needed
- 3 TB of data should be replicated
- 21 Gb/s links are needed between Sites A and B
- A round trip time of 1.8 ms is needed between Sites A and B
- A third site, Site C, is needed for Failover Manager (FOM) connected with 100 MB/s.



There is a latency of 55 ms between Site C and the other sites. Which potential issue should be discussed with the customer before proposing the HPE StoreVirtual solution?

- A. Maximum latency requirements are not met for Site C.
- B. Minimum bandwidth requirements between Sites C and B are not met.
- C. Minimum round trip time for Sites A and B is not met.
- D. Minimum bandwidth requirements for Site C are not met.

Correct Answer: D

QUESTION 4

The demonstration of iSCSI Persistent Ports during an HPE 3PAR StoreServ proof of concept fails. What is a possible cause of failure?

- A. The connected switch gets a loss_sync of the HPE 3PAR StoreServ port and disconnects the port immediately.
- B. The connected switch does not accept an unsolicited ARP and does not update the IP address mappings.
- C. Zoning is not implemented correctly, and the host could not connect to the partner port.
- D. Port Persistence is not configured correctly, so the partner port could not be activated in a timely manner.

Correct Answer: D

QUESTION 5

What should be considered before using Jumbo Frames for iSCSI network traffic? (Select two.)

- A. They improve random I/O workloads
- B. They can have a negative impact on latency-sensitive data
- C. They improve performance of latency sensitive workloads
- D. Large sequential read and write workloads can benefit from Jumbo Frames
- E. Large sequential read and write workloads will not benefit from Jumbo Frames

Correct Answer: CD

[HPE0-J80 PDF Dumps](#)

[HPE0-J80 Practice Test](#)

[HPE0-J80 Study Guide](#)