



HPE0-S50^{Q&As}

Integrating HPE Synergy Solutions

Pass HP HPE0-S50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s50.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






QUESTION 1


HOTSPOT

A customer needs to incorporate the HPE Synergy D3940 Composable Storage Module into its environment. Click the adapter associated with the fabric in which the customer should install the P542 controller.

Hot Area:



Correct Answer:



QUESTION 2

DRAG DROP



Use the arrow or click and drag the steps on the left to set up a new HPE Synergy 12000 Frame into the correct order on the right.

Select and Place:

Set up Steps

Access the Hardware Setup screen from the Synergy console.

Assign Composer IP addresses.

Connect the power plugs for the frame.

Connect the fabric and management network cables.

Resolve any hardware setup errors.

Populate the frame with compute, storage, fabric, and power options.

Confirm inventory.

Order

Correct Answer:

Set up Steps

Placeholder for the correct answer steps, which are currently empty.

Order

Confirm inventory.

Populate the frame with compute, storage, fabric, and power options.

Connect the fabric and management network cables.

Connect the power plugs for the frame.

Resolve any hardware setup errors.

Access the Hardware Setup screen from the Synergy console.

Assign Composer IP addresses.



QUESTION 3

A customer needs a consolidated infrastructure view for HPE Synergy and HPE BladeSystem c7000 enclosures. Which approach should the Synergy integrator take to meet the customer's needs?

- A. Enable federation in the HPE OneView appliance and add remote HPE OneView instances.
- B. Add remote enclosures to monitor the BladeSystem c7000 enclosures.
- C. Deploy HPE OneView Global Dashboard.
- D. Extend the Synergy out-of-band management ring to the c7000 Onboard Administrator ports.


Correct Answer: C

QUESTION 4


HOTSPOT

A Synergy integrator has installed a new frame into a rack with two existing frames in the customer's environment. Click where the integrator should verify that the cabling for the management ring was completed correctly.

Hot Area:



Correct Answer:



QUESTION 5

A customer has the following requirements for an HPE Synergy solution:

Data for the internal application needs to be stored in the frame.

Compute modules need to have access to a large database on an external storage array.

The Synergy infrastructure should be managed with HPE OneView.

How should a Synergy integrator configure the module installation?

- A. two SAS Connection Modules into bays 1 and 2; two Synergy 40Gb F8 switch module into bays 3 and 4; two Brocade 16 Gb/12 Fibre Channel switches into bays 5 and 6
- B. two SAS Connection Modules into bays 1 and 4; two HPE Synergy Virtual Connect SE 40Gb F8 modules into bays 3 and 6
- C. two SAS Connection Modules into bays 1 and 2; two HPE Synergy Virtual Connect SE 40Gb F8 modules into bays 3 and 4
- D. two SAS Connection Modules into bays 1 and 4; two Synergy 40Gb F8 switch module into bays 2 and 5; two Brocade 16 Gb/12 Fibre Channel switches into bays 3 and 6

Correct Answer: C