



HPE0-S50^{Q&As}

Integrating HPE Synergy Solutions

Pass HP HPE0-S50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s50.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer needs a consolidated infrastructure view for HPE Synergy and HPE BladeSystem c7000 enclosures. Which approach should the Synergy integrator take to meet the customer's needs?

- A. Enable federation in the HPE OneView appliance and add remote HPE OneView instances.
- B. Add remote enclosures to monitor the BladeSystem c7000 enclosures.
- C. Deploy HPE OneView Global Dashboard.
- D. Extend the Synergy out-of-band management ring to the c7000 Onboard Administrator ports.

Correct Answer: C

QUESTION 2

A customer needs increased available bandwidth and highly available network Virtual Connect interconnects.

Which two steps must the Synergy integrator perform in the configuration to meet the customer's needs? (Choose two.)

- A. Link Ports L1 and L4 on Master ICMs to ports L1 and L2 on the first Satellite ICM.
- B. Install Redundant Frame Link Modules and a second management ring.
- C. Enable Multimodule Link Aggregation Group (MLAG).
- D. Enable Intelligent Resilient Fabric (IRF) on the Virtual Connect Modules.
- E. Connect Ports Q7 and Q8 on the Master Interconnect Modules (ICM).


Correct Answer: AD

QUESTION 3


HOTSPOT

A Synergy integrator has installed a new frame into a rack with two existing frames in the customer's environment. Click where the integrator should verify that the cabling for the management ring was completed correctly.

Hot Area:



Correct Answer:



QUESTION 4

In a 3-frame HPE Synergy environment, how should a Synergy integrator place the Image Streamer modules to allow for redundancy to all of the management connections?

- A. one Image Streamer module in each Synergy frame (3 total)
- B. one Image Streamer module in frame 2 and a second Image Streamer Module in frame 3 (2 total)
- C. two Image Streamer modules in the frame 1 (2 total)



D. two Image Streamer modules in frame 2 and two Image Streamer Module in frame 3 (4 total)

Correct Answer: C

QUESTION 5

A Synergy integrator is working with a customer to perform a first-time setup of a 3-frame Synergy environment. The following fabric modules are installed: Frame 1

Bay 1

Correct Answer: A

[HPE0-S50 PDF Dumps](#)

[HPE0-S50 Practice Test](#)

[HPE0-S50 Exam Questions](#)