



HPE0-S50^{Q&As}

Integrating HPE Synergy Solutions

Pass HP HPE0-S50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s50.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer has the following requirements for an HPE Synergy solution:

Data for the internal application needs to be stored in the frame.

Compute modules need to have access to a large database on an external storage array.

The Synergy infrastructure should be managed with HPE OneView.

How should a Synergy integrator configure the module installation?

- A. two SAS Connection Modules into bays 1 and 2; two Synergy 40Gb F8 switch module into bays 3 and 4; two Brocade 16 Gb/12 Fibre Channel switches into bays 5 and 6
- B. two SAS Connection Modules into bays 1 and 4; two HPE Synergy Virtual Connect SE 40Gb F8 modules into bays 3 and 6
- C. two SAS Connection Modules into bays 1 and 2; two HPE Synergy Virtual Connect SE 40Gb F8 modules into bays 3 and 4
- D. two SAS Connection Modules into bays 1 and 4; two Synergy 40Gb F8 switch module into bays 2 and 5; two Brocade 16 Gb/12 Fibre Channel switches into bays 3 and 6

Correct Answer: C

QUESTION 2

A customer need four Synergy compute nodes to provide virtual machine access to six VLANs over a single link aggregation group.

How can the Synergy integrator configure the environment to meet the customer's needs?

- A. Create a single tunnel network and assign it to one or more interfaces in the server profile template.
- B. Create six untagged networks and assign them to one or more of the interfaces in the server profile template.
- C. Create six untagged networks, associate them with an IP address pool, and assign them to one or more of the interfaces in the server profile template.
- D. Create six untagged networks, add them to a network set, and assign that network set to one or more interfaces in the server profile template.

Correct Answer: A

QUESTION 3



A Synergy integrator is creating a network that must be connected from the HPE Synergy Virtual Connect SE 40Gb F8 module to an Ethernet switch carrying 500 VLANs for the hypervisor cluster. Which network should the Synergy integrator select during network creation?

- A. Ethernet Tunneled
- B. Ethernet Channeled
- C. Ethernet Tagged
- D. Ethernet Untagged

Correct Answer: A

QUESTION 4

DRAG DROP

A customer needs to add Image Streamer to a Synergy 3-frame environment.

Use the arrow or click and drag all of the tasks required to perform this upgrade on the left into the correct order on the right. (Note: not all steps may be needed.)

Select and Place:

Tasks

Order

Power down and unassign server profiles, and then delete the logical enclosure.

Add the deployment server.

Reassign server profiles and power up the compute modules.

Copy/edit the Logical Enclosure Group and Enclosure Group, adding Image Streamer.

Create a new Logical Enclosure using Image Streamer enabled EG.

Delete the Logical Enclosure.

Correct Answer:

**Tasks****Order**

Create a new Logical Enclosure using Image Streamer enabled EG.

Copy/edit the Logical Enclosure Group and Enclosure Group, adding Image Streamer.

Add the deployment server.

Power down and unassign server profiles, and then delete the logical enclosure.

Delete the Logical Enclosure.

Reassign server profiles and power up the compute modules.

QUESTION 5

A customer needs a consolidated infrastructure view for HPE Synergy and HPE BladeSystem c7000 enclosures. Which approach should the Synergy integrator take to meet the customer's needs?

- A. Enable federation in the HPE OneView appliance and add remote HPE OneView instances.
- B. Add remote enclosures to monitor the BladeSystem c7000 enclosures.
- C. Deploy HPE OneView Global Dashboard.
- D. Extend the Synergy out-of-band management ring to the c7000 Onboard Administrator ports.

Correct Answer: C

[Latest HPE0-S50 Dumps](#)

[HPE0-S50 PDF Dumps](#)

[HPE0-S50 Exam Questions](#)