



HPE0-S52^{Q&As}

Building HPE Server Solutions

Pass HP HPE0-S52 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s52.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer plans to upgrade their current environment to use HPE ProLiant Gen10 servers.

Which HPE tool allows you to verify whether their existing HPE PDUs have sufficient capacity to support the expanded solution?

- A. HPE OneView
- B. HPE Power Advisor
- C. HPE Dynamic Power Capping
- D. HPE iLO Advanced

Correct Answer: B

QUESTION 2

A customer has ten c7000 enclosures equipped with Gen8 servers and Virtual Connect FlexFabric modules. The servers are monitored by HPE Systems Insight Manager (SIM). The customer plans to add three additional enclosures with

FlexFabric modules and GEN10 servers and standardize management using HPE OneView.

How should they implement the new management system?

- A. Deploy HPE OneView, migrate existing enclosures to HPE OneView, and add new enclosures to HPE OneView.
- B. Add new enclosures to the HPE Systems Insight Manager, then migrate all enclosures to HPE OneView.
- C. Upgrade existing HPE System Insight Manager installation to the latest version of the HPE OneView, and add new enclosures.
- D. Configure a new domain group in Virtual Connect Enterprise Manager, import new enclosures to that group, and migrate all of them to the HPE OneView.

Correct Answer: A

QUESTION 3

A customer needs a VSA deployment.

What do you need to verify within the customer environment prior to deployment?

- A. the customer has iLO Advanced licenses installed on all services
- B. the customer has at least one D3940 storage module available
- C. the network adapters installed in the servers support RDMA



D. the customer has a supported hypervisor

Correct Answer: D

QUESTION 4

A customer needs a RAID storage solution with the most storage space available that also provides fault tolerance against potential disk driver failures. The existing customer environment has a server with 8 SAS disk drives installed. Which RAID level should the customer use?

- A. RAID 0
- B. RAID 1
- C. RAID 5
- D. RAID 6

Correct Answer: D

QUESTION 5

In HPE Smart Storage Administrator, what does the Wear Gauge parameter describe?

- A. remaining expected lifetime of an SSD drive
- B. maximum number of SSD drives that can be installed in a system
- C. availability level (MTBF) for an SSD drive
- D. performance metrics for SSD drive

Correct Answer: A

Reference: <https://community.hpe.com/hpeb/attachments/hpeb/itrc-264/148204/3/HP%20Smart%20Storage%20Administrator%20User%20Guide.pdf>

[Latest HPE0-S52 Dumps](#)

[HPE0-S52 Study Guide](#)

[HPE0-S52 Braindumps](#)