



HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

Match HPE Superdome Flex system with its specific feature.

Select and Place:

	System	Feature
HPE Superdome Flex		Support for 32 sockets and 48TB of memory
HPE Superdome Flex 280		Support for nPar with 16 sockets
		Maximum of 24TB memory
		Minimum of 768 GB of memory

Correct Answer:


	System	Feature
HPE Superdome Flex	HPE Superdome Flex	Support for 32 sockets and 48TB of memory
HPE Superdome Flex 280	HPE Superdome Flex	Support for nPar with 16 sockets
	HPE Superdome Flex	Maximum of 24TB memory
	HPE Superdome Flex	Minimum of 768 GB of memory

QUESTION 2


HOTSPOT

Click the option that will allow you to change the ESXI image used In an OS Deployment Plan.

Hot Area:



Correct Answer:



QUESTION 3



DRAG DROP

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:

Steps

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Add vCenter Server to HPE OneView for VMware vCenter Server.

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

Answer Area





Correct Answer:

Steps


Answer Area


Add vCenter Server to HPE OneView for VMware vCenter Server.

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.






QUESTION 4

HOTSPOT

Click the area within the iLO management interface that will allow you to access workload Advisor.

Hot Area:



**iLO 5**
2.44 Apr 30 2021

Information

System Information

Firmware & OS Software

iLO Federation

Remote Console & Media

Power & Thermal

Performance

iLO Dedicated Network Port

Remote Support

Administration

Security

Management

HPE OneView

Synergy Frame

Lifecycle Management

Information - iLO Overview

Overview

Security Dashboard

Session List

iLO Event Log

Integrated Management Log

Security Log

Active Health System Log

Diagnostics

Server

Product Name	Synergy 480 Gen10
Server Name	h7198.wsw.edunet.hpe.com
Operating System	VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25
System ROM	I42 v2.42 (01/23/2021)
System ROM Date	01/23/2021
Redundant System ROM	I42 v2.42 (01/23/2021)
Server Serial Number	CZ204400X0
Serial Number (Logical)	VCGQH1801V
Product ID	871940-B21
UUID	39313738-3034-5A43-3230-343430305030

iLO

IP Address	15.194.45.41
Link-Local IPv6 Address	FE80:B67A:F1FF:FE44:377A
iLO Hostname	ILOCZ204400X0.wsw.edunet.hpe.com
iLO Dedicated Network Port	Enabled

Correct Answer:



iLO 5
2.44 Apr 30 2021

Information - iLO Overview

Overview | Security Dashboard | Session List | iLO Event Log | Integrated Management Log

Security Log | Active Health System Log | Diagnostics

Server

Product Name	Synergy 480 Gen10
Server Name	h7198.wswedunet.hpe.com
Operating System	VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25
System ROM	I42 v2.42 (01/23/2021)
System ROM Date	01/23/2021
Redundant System ROM	I42 v2.42 (01/23/2021)
Server Serial Number	CZ204400X0
Serial Number (Logical)	VCGQH1801V
Product ID	871940-B21
UUID	39313738-3034-5A43-3230-343430305030

iLO

IP Address	15.194.45.41
Link-Local IPv6 Address	FE80:B67A:F1FF:FE44:377A
iLO Hostname	ILOCZ204400X0.wswedunet.hpe.com
iLO Dedicated Network Port	Enabled

QUESTION 5

DRAG DROP

Match each HPE OneView network type with its definition.

Select and Place:



Network Type	Definition
Internal network	A network that contains multiple networks on a single uplink set that allows your customer to share uplinks with those networks.
Tagged network	A network in which any tagged packets are dropped and forwarding is done by a MAC address.
Tunnel network	A network with a dedicated set of uplink ports used to pass a group of VLANs without changing the VLAN tags.
Untagged network	A network that does not utilize any uplink ports and is used for communication between servers in the same frame.

Correct Answer:

Network Type	Definition
Untagged network	A network that contains multiple networks on a single uplink set that allows your customer to share uplinks with those networks.
Tagged network	A network in which any tagged packets are dropped and forwarding is done by a MAC address.
Tunnel network	A network with a dedicated set of uplink ports used to pass a group of VLANs without changing the VLAN tags.
Internal network	A network that does not utilize any uplink ports and is used for communication between servers in the same frame.

[HPE0-S60 VCE Dumps](#)

[HPE0-S60 Study Guide](#)

[HPE0-S60 Exam Questions](#)