



# HPE0-S60<sup>Q&As</sup>

Delta - HPE Compute Solutions

**Pass HP HPE0-S60 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s60.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






QUESTION 1

HOTSPOT

Click the area within the iLO management interface that will allow you to access workload Advisor.

Hot Area:



Correct Answer:



**iLO 5**  
2:44 Apr 30 2021

**Information - iLO Overview**

Overview | Security Dashboard | Session List | iLO Event Log | Integrated Management Log

Security Log | Active Health System Log | Diagnostics

### Server

Product Name	Synergy 480 Gen10
Server Name	h7198.wsw.edunet.hpe.com
Operating System	VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25
System ROM	I42 v2.42 (01/23/2021)
System ROM Date	01/23/2021
Redundant System ROM	I42 v2.42 (01/23/2021)
Server Serial Number	CZ204400X0
Serial Number (Logical)	VCGQH1801V
Product ID	871940-B21
UUID	39313738-3034-5A43-3230-343430305030

### iLO

IP Address	15.194.45.41
Link-Local IPv6 Address	FE80:B67AF1FF:FE44:377A
iLO Hostname	ILOCZ204400X0.wsw.edunet.hpe.com
iLO Dedicated Network Port	Enabled

**QUESTION 2**

DRAG DROP

Match HPE Superdome Flex system with its specific feature.

Select and Place:

System	Feature
HPE Superdome Flex	Support for 32 sockets and 48TB of memory
HPE Superdome Flex 280	Support for nPar with 16 sockets
	Maximum of 24TB memory
	Minimum of 768 GB of memory



Correct Answer:

Answer Area	
System	Feature
HPE Superdome Flex	Support for 32 sockets and 48TB of memory
HPE Superdome Flex	Support for nPar with 16 sockets
HPE Superdome Flex	Maximum of 24TB memory
HPE Superdome Flex	Minimum of 768 GB of memory

### QUESTION 3

#### HOTSPOT

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.

Hot Area:



## Create Logical Interconnect Group

General ▾



### General

Name

### Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

**Select interconnects**



Correct Answer:



**Create Logical Interconnect Group**
General ▾
?

**General**

---

Name

---

**Logical Interconnect Group**

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

**QUESTION 4**

DRAG DROP

Match HPE SimpliVity term with the definition.

Select and Place:

Term		Definition
Arbiter		Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node		Provides centralized management and events end-point for vCenter.
Intelligent Workload Optimizer		Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Management Virtual Controller		Facilitates communication between nodes and resolves state conflicts to ensure service continuity.



Correct Answer:

Term	Definition
Arbiter	Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node	Provides centralized management and events end-point for vCenter.
Management Virtual Controller	Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Intelligent Workload Optimizer	Facilitates communication between nodes and resolves state conflicts to ensure service continuity.

### QUESTION 5

DRAG DROP

You need to setup HPE Synergy frames after hardware components are discovered within HPE OneView.

Put the steps to achieve this goal into the coned order in the answer area on the right.

Select and Place:

Steps	Answer Area
Create a logical enclosure.	
Create a logical interconnect group with uplink sets.	
Create an enclosure group.	
Create server profile templates and server profiles.	
Define all required networks.	

Correct Answer:



Steps


Answer Area

- Create a logical interconnect group with uplink sets.
- Create a logical enclosure.
- Create an enclosure group.
- Create server profile templates and server profiles.**
- Define all required networks.



[Latest HPE0-S60 Dumps](#)

[HPE0-S60 VCE Dumps](#)

[HPE0-S60 Practice Test](#)