



# HPE0-S60<sup>Q&As</sup>

Delta - HPE Compute Solutions

**Pass HP HPE0-S60 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s60.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

### DRAG DROP

Match HPE SimpliVity team with the definition.

Select and Place:

Term		Definition
Arbiter		Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node		Provides centralized management and events end-point for vCenter.
Intelligent Workload Optimizer		Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Management Virtual Controller		Facilitates communication between nodes and resolves state conflicts to ensure service continuity.

Correct Answer:

Term		Definition
	Arbiter	Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
	Compute node	Provides centralized management and events end-point for vCenter.
	Management Virtual Controller	Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
	Intelligent Workload Optimizer	Facilitates communication between nodes and resolves state conflicts to ensure service continuity.

## QUESTION 2

### DRAG DROP

Put the steps of the HPE infosight flow in the correct order.

Select and Place:



**Steps**

- Observing
- Learning
- Recommending
- Predicting
- Acting

**Answer Area**

- 
- 
- 
- 
- 

Correct Answer:

**Steps**

- 
- 
- 
- 
- 

**Answer Area**

- Observing
- Learning
- Predicting
- Recommending
- Acting

### QUESTION 3

#### DRAG DROP

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:

**Steps**

- Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
- Add vCenter Server to HPE OneView for VMware vCenter Server.
- Deploy new ESXi systems using vCenter Server interface.
- Upload HPE-friendly ESXi image.

**Answer Area**

- 

Correct Answer:



#### Steps

#### Answer Area

Add vCenter Server to HPE OneView for VMware vCenter Server.

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.



#### QUESTION 4

##### HOTSPOT

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade.

Click the parameter that the customer should configure within an uplink set to meet this requirement.

Hot Area:

### Create Uplink Set ?

#### General

Name

Prod-US

Consistency checking

Exact match ▾

Type

Ethernet ▾

Connection mode

Automatic

LACP timer

Short (1s) ▾

LACP load balancing

Source & Destination MAC Address ▾

LACP failover trigger

All active uplinks transition to offline ▾

LACP distribute uplink ports

☒

Correct Answer:



### Create Uplink Set

?

#### General

Name

Prod-US

Consistency checking

Exact match

Type

Ethernet

Connection mode

Automatic

LACP timer

Short (1s)

LACP load balancing

Source & Destination MAC Address

LACP failover trigger

All active uplinks transition to offline

LACP distribute uplink ports

☒

## QUESTION 5

### DRAG DROP

Match HPE Superdome Flex system with its specific feature.

Select and Place:

	System	Feature
HPE Superdome Flex		Support for 32 sockets and 48TB of memory
HPE Superdome Flex 280		Support for nPar with 16 sockets
		Maximum of 24TB memory
		Minimum of 768 GB of memory

Correct Answer:



HPE Superdome Flex	<b>ANSWER AREA</b> <b>System</b>	<b>Feature</b>
HPE Superdome Flex 280		HPE Superdome Flex Support for 32 sockets and 48TB of memory
		HPE Superdome Flex Support for nPar with 16 sockets
		HPE Superdome Flex Maximum of 24TB memory
		HPE Superdome Flex Minimum of 768 GB of memory

[HPE0-S60 VCE Dumps](#)

[HPE0-S60 Study Guide](#)

[HPE0-S60 Exam Questions](#)