



HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

After HPE Superdome Flex deployment and nPar setup, you need to verify health status of HPE Superdome Flex components.

Put the steps on the left into the coned order on the right to perform this task.

Select and Place:

- Enter show health command.
- Confirm health status.
- Open SSH client.
- Open session to RMC.

- 1
- 2
- 3
- 4

Correct Answer:

- 1
- 2
- 3
- 4

- 1 Open SSH client.
- 2 Open session to RMC.
- 3 Enter show health command.
- 4 Confirm health status.

QUESTION 2

HOTSPOT

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade.

Click the parameter that the customer should configure within an uplink set to meet this requirement.

Hot Area:



Create Uplink Set ?

General

Name	<input type="text" value="Prod-US"/>
Consistency checking	<input type="text" value="Exact match"/>
Type	<input type="text" value="Ethernet"/>
Connection mode	Automatic
LACP timer	<input type="text" value="Short (1s)"/>
LACP load balancing	<input type="text" value="Source & Destination MAC Address"/>
LACP failover trigger	<input type="text" value="All active uplinks transition to offline"/>
LACP distribute uplink ports	<input checked="" type="checkbox"/>

Correct Answer:



Create Uplink Set ?

General

Name:

Consistency checking:

Type:

Connection mode: Automatic

LACP timer:

LACP load balancing:

LACP failover trigger:

LACP distribute uplink ports:

QUESTION 3


DRAG DROP

Match HPE Superdome Flex system with its specific feature.

Select and Place:

System	Feature
<input type="text" value="HPE Superdome Flex"/>	Support for 32 sockets and 48TB of memory
<input type="text" value="HPE Superdome Flex 280"/>	Support for nPar with 16 sockets
<input type="text"/>	Maximum of 24TB memory
<input type="text"/>	Minimum of 768 GB of memory

Correct Answer:




QUESTION 4

HOTSPOT


Click the area within the iLO management interface that will allow you to access workload Advisor.

Hot Area:





Correct Answer:




QUESTION 5

HOTSPOT

Click the option that will allow you to change the ESXI image used In an OS Deployment Plan.

Hot Area:



Correct Answer:

