



HPE0-V14^{Q&As}

Building HPE Hybrid IT Solutions

Pass HP HPE0-V14 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-v14.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An HPE customer wants to perform a simplified update of firmware and drivers among their 100 HPE Gen9 and Gen10 racked servers.

Which HPE software tool should the customer use to minimize the time required to perform this activity.

- A. HPE Smart Update Manager
- B. HPE OneView Standard
- C. HPE ProLiant Support Pack
- D. HPE iLO Amplifier Pack

Correct Answer: A

Reference: <https://www.hpe.com/us/en/servers/smart-update.html>

QUESTION 2

A customer has reported that while running an application that is streaming live data, they experience fluctuations in processor frequency as they increase the server performance.

Which HPE ProLiant Gen10 system tuning feature would help eliminate this issue?

- A. workload matching
- B. silicon root of trust
- C. core boosting
- D. jitter smoothing

Correct Answer: D

QUESTION 3

You are installing an HPE ProLiant server in a rack at a customer site. The customer's facility is in a high-voltage utility service area, and they want to be certain that the power supply is supported.

Which ProLiant feature addresses the customer's concern?

- A. ProLiant servers can be configured for 380-400V AC in low-line and high-line utility service areas.
- B. ProLiant servers support 240 V DC power supplies because components in a direct current line are less prone to failure.
- C. Rack-mountable HPE servers ship with 110 V DC power supplies because direct current is less expensive for a low-line utility service over short distances.



D. ProLiant servers include auto-sensing power supplies with a power input range of 100-240 VAC, so they can be used globally.

Correct Answer: D

QUESTION 4

Which backup targets are available from an HPE StoreOnce backup system? (Choose two.)

- A. VTL
- B. Catalyst
- C. NVMe
- D. S3
- E. iSCSI

Correct Answer: AB

Reference: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-c03824941

HP StoreOnce Backup systems offer flexibility with virtual tape library (VTL), NAS and StoreOnce Catalyst targets for backup applications.

QUESTION 5

Which network protocol is used to build a loop-free logical topology for Ethernet networks?

- A. SCSP
- B. ECP
- C. VLAN
- D. STP

Correct Answer: D

[HPE0-V14 PDF Dumps](#)

[HPE0-V14 Study Guide](#)

[HPE0-V14 Exam Questions](#)