



Building HPE Hybrid IT Solutions

Pass HP HPE0-V14 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/hpe0-v14.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers







QUESTION 1

DRAG DROP Match the feature to the lowest iLO5 license in which it is available

Select and Place:



Correct Answer:



QUESTION 2

A customer has implemented an HPE ProLiant server with internal storage and needs to monitor the array health status.

Which management application can the customer use to discover errors quickly and minimize the possible downtime?



- A. Insight Online
- B. Smart Storage Administrator
- C. Intelligent Management Center
- D. InfoSight

Correct Answer: B

QUESTION 3

A Network administrator connects two switches together with multiple links of the same speed, duplex, and media type. The administrator expected the links to be aggregated, but they are not. The administrator confirmed that the ports are

part of the appropriate link aggregation groups and that the permitted VLANs match.

Switch A has the lower LACP System Priority.

Which LACP operation states describe the failure above?

- A. Switch A: Active; Switch B: Active
- B. Switch A: Active; Switch B: Passive
- C. Switch A: Passive; Switch B: Passive
- D. Switch A: Passive; Switch B: Active

Correct Answer: C

QUESTION 4

Refer to the exhibit.

<Switch-A>display int Ten-GigabitEthernet 1/0/1 Ten-GigabitEthernet1/0/1 Current state: UP Line protocol state: UP IP packet frame type: Ethernet II, hardware address: d894-03fb-793d Description: Ten-GigabitEthernet1/0/1 Interface Bandwidth: 10000000 kbps Loopback is not set Media type is stack wire, port hardware type is STACK_SFP_PLUS 10Gbps-speed mode, fullduplex mode Link speed type is autonegotiation, link duplex type is autonegotiation Flowcontrol is not enabled Maximum frame length: 10000 Allow jumbo frames to pass Broadcast max-ratio: 100% Multicast max-ratio: 100% Unicast max-ratio: 100% PVID: 1 MDI type: Automdix Port link-type: Trunk VLAN Passing: 10, 20 VLAN permitted: 10, 20 Trunk port encapsulation: IEEE 802.1q Port priority: 0 <SNIP>

An administrator connected a hypervisor to interface Ten-GigabitEthernet1/0/1 in a switch. The administrator created virtual machines in VLAN 10 and 20 on the hypervisor. VLAN 10 is configured to be tagged, and VLAN 20 is configured to

be untagged on the hypervisor.

The administrator found that all the virtual machines in VLAN 20 can communicate with each other, but not with any virtual machines on VLAN 20 external to the hypervisor.



Given the output in the exhibit, customer needs a new environment to support an ERP system. The sizing information you received shows the following

- A. Permit VLAN 1 on the interface.
- B. Configure the PVID of the interface to be VLAN 20.
- C. Configure the interface as an access port.
- D. Configure the interface as an IRF port.check


Correct Answer: B

QUESTION 5

DRAG DROP


Match the stacking technology to the switch series.

Select and Place:



Correct Answer:





Reference: https://community.arubanetworks.com/community-home/digestviewer/viewthread?MID=25306 https://en.wikipedia.org/wiki/Intelligent_Resilient_Framework

HPE0-V14 VCE Dumps HPE0-V14 Exam Questions HPE0-V14 Braindumps