



HPE2-K43^{Q&As}

Designing High-End HPE Storage Platforms

Pass HP HPE2-K43 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-k43.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

To support HPE 3PAR Peer Persistence, which type of server connectivity can be used in order to connect to the HPE 3PAR StoreServ arrays? (Select three.)

- A. Catalyst over Fibre Channel
- B. Fibre Channel over Ethernet
- C. Fibre Channel
- D. NFS
- E. Fibre Channel over IP
- F. iSCSI

Correct Answer: BCF

QUESTION 2

For which benefit should you recommend HPE 3PAR StoreServ 20450 over the 9450 model? (Select two.)

- A. higher performance (IOPS and bandwidth)
- B. better density of SSD drives in the base rack
- C. power and cooling efficiency
- D. higher per-node cache
- E. easier management

Correct Answer: BC

QUESTION 3

In order to implement HPE 3PAR Priority Optimization, how should the virtual volumes in the HPE StoreServ array be organized?

- A. Assign the QoS value for each individual host instead of for each virtual volume.
- B. Assign the QoS value for each individual virtual volume.
- C. Group hosts into host sets and assign a QoS value to each host set.
- D. Group virtual volumes into relevant VVsets and set QoS values to each VVset.

Correct Answer: C



QUESTION 4

In which state of the Peer Motion unidirectional workflow does the host access the volumes on the source storage system through the destination storage system?

- A. Import
- B. Admit
- C. Dismiss
- D. Admitvv

Correct Answer: C

QUESTION 5

What is required in order to prevent other hosts from mounting the source volume in the Peer Motion import stage migration workflow even after the migration?

- A. Set an SCSI Buffer Queue Full on each source volume.
- B. Set a longer SCSI time-out value on each source volume.
- C. Set the SCSI time-out value to zero on each source volume.
- D. Place an SCSI-3 reservation on each source volume.

Correct Answer: C

[Latest HPE2-K43 Dumps](#)

[HPE2-K43 VCE Dumps](#)

[HPE2-K43 Study Guide](#)