



HPE2-K43^{Q&As}

Designing High-End HPE Storage Platforms

Pass HP HPE2-K43 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-k43.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is required in order to prevent other hosts from mounting the source volume in the Peer Motion import stage migration workflow even after the migration?

- A. Set an SCSI Buffer Queue Full on each source volume.
- B. Set a longer SCSI time-out value on each source volume.
- C. Set the SCSI time-out value to zero on each source volume.
- D. Place an SCSI-3 reservation on each source volume.

Correct Answer: C

QUESTION 2

DRAG DROP

Arrange the process of HPE RMC-3PAR application data protection in the right order.

Select and Place:

Application Data Protection

Order

- RMC leverages unique HPE 3PAR SnapDiff block-change detection technology to send only unique changed data to HPE StoreOnce, using multi-streaming for faster backup.
- HPE StoreOnce deduplication reduces backup storage requirements and enables cost-effective, reliable retention.
- HPE StoreOnce ingests changed blocks to create deduplicated, independent, synthetic full image backup.
- The application owner triggers backup using the native interface/utility.
- The application quiesces momentarily while a consistent, non-disruptive snapshot is created on HPE 3PAR.

Correct Answer:



Application Data Protection

Order

HPE StoreOnce deduplication reduces backup storage requirements and enables cost-effective, reliable retention.

HPE StoreOnce ingests changed blocks to create deduplicated, independent, synthetic full image backup.

The application quiesces momentarily while a consistent, non-disruptive snapshot is created on HPE 3PAR.

The application owner triggers backup using the native interface/utility.

RMC leverages unique HPE 3PAR SnapDiff block-change detection technology to send only unique changed data to HPE StoreOnce, using multi-streaming for faster backup.

QUESTION 3

Which functionalities are supported by the 16Gb FC adapter installed in the HPE 3PAR StoreServ 9450 controller node? (Select three.)

- A. iSCSI Host Connectivity
- B. Remote Copy Connectivity
- C. FC Host Connectivity
- D. Drive Enclosure Connectivity
- E. File Persona Connectivity
- F. Peer Ports Connectivity

Correct Answer: BCE

QUESTION 4

What are the requirements for bidirectional HPE 3PAR Storage Federation setup? (Select two.)

- A. 2 remote copy ports in each array for inter-array connectivity
- B. 2 host ports in each array for inter-array connectivity
- C. 2 host ports in each array for host connectivity
- D. 2 file persona ports in each array for inter-array connectivity
- E. 2 peer ports in each array for inter-array connectivity



Correct Answer: CD

QUESTION 5

In the Oracle database environment, how can 3PAR Priority Optimization help to improve the application?

- A. Setting the IOPS increases the throughput of data per second, thus decreasing the completion time of databases queries.
- B. Setting the response time or latency improves transaction times in the database.
- C. Setting the bandwidth controls the IOPS, thus only applying to OLTP workloads.
- D. Setting the bandwidth reduces the wait time of the storage responding to the server request.

Correct Answer: A

[HPE2-K43 Practice Test](#)

[HPE2-K43 Study Guide](#)

[HPE2-K43 Exam Questions](#)