



HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-t37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. IL0 IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

Correct Answer: CE

QUESTION 2

After replacing a failed Compute Module, you notice the server profile is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. IL0 firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

Correct Answer: A

QUESTION 3

Which statement about HPE OneView Global Dashboard is true?

- A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances
- B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components
- C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers
- D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Correct Answer: C



QUESTION 4

Which statement about a Logical Enclosure for HPE BladeSystem is true?

- A. A logical enclosure can have between 1 to 5 HPE BladeSystem c7000 enclosures.
- B. A logical enclosure must be created only for monitored HPE BladeSystem C7000 enclosures.
- C. A logical enclosure is created automatically, and it is always based on a single enclosure.
- D. A logical enclosure can contain a mix of HPE BladeSystem c7000 and C3000 enclosures.

Correct Answer: C

QUESTION 5

Which statement about M-LAG setup is true?

- A. When combined with IRF, M-LAG will allow you to aggregate ports coming from clustered HPE Synergy Virtual Connect modules.
- B. M-LAG for HPE Synergy can be either single-homed or multi-homed, while for HPE BladeSystem only single-homed.
- C. sFLOW cannot be enabled if M-LAG is configured between HPE Synergy Virtual Connect modules in the same frame.
- D. M-LAG has to be defined manually for HPE BladeSystem, but it is automatically configured for HPE Synergy.

Correct Answer: A

[HPE2-T37 PDF Dumps](#)

[HPE2-T37 Practice Test](#)

[HPE2-T37 Study Guide](#)