



# HPE2-T37<sup>Q&As</sup>

Using HPE OneView

**Pass HP HPE2-T37 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-t37.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit.

The screenshot shows the HPE OneView interface. On the left, a table lists 13 networks. The 'Eth-1' network is highlighted. On the right, the 'Overview' page for 'Eth-1' is displayed, showing its configuration details.

Name	VLAN	Type
Eth-1	Untagged	Ethernet
FC-A		FC
FC-B		FC
FT-01	Untagged	Ethernet
FT-02	Untagged	Ethernet
FT-03	Untagged	Ethernet
FT-04	Untagged	Ethernet
FT-05	Untagged	Ethernet
vMotion-01	Untagged	Ethernet
vMotion-02	Untagged	Ethernet
vMotion-03	Untagged	Ethernet
vMotion-04	Untagged	Ethernet
vMotion-05	Untagged	Ethernet

General	
Type	Ethernet
VLAN	Untagged
Associated with IPv4 subnet ID	none
Associated with IPv6 subnet ID	none
Purpose	Management
Preferred bandwidth	2.5 Gb/s
Maximum bandwidth	20 Gb/s
Smart link	Yes
Private network	No
Uplink set	ETH-Uplink
Used by	2 server profiles 3 server profile templates
Member of	no network sets

exhibit 37.63.4.9

Your customer created multiple networks in HPE OneView, but only Eth-1 is available to be used within a server profile. What is a likely cause of this situation?

- A. The other networks are not configured with the required Smart Link parameter
- B. The other networks are configured with a purpose other than General or Management
- C. The other networks have 'Private Network' selected, which hides them from Compute Modules
- D. The other networks are not added to the Logical Interconnect Group configuration

Correct Answer: C

### QUESTION 2



## HOTSPOT

You need to make sure that server ports connected to this network cannot communicate with each other within the logical interconnect. Click the option within the network definition that will allow you to configure the required parameter.

Hot Area:

### Create Network ?

Name

Type  Ethernet  Fibre Channel  FCoE  RoCE

VLAN  Tagged  Untagged

VLAN ID

Associate with IPv6 subnet ID

Subnet IDs cannot be assigned until a valid VLAN ID is specified

Purpose

Preferred bandwidth  Gb/s

Maximum bandwidth  Gb/s

Smart link

Private network

Correct Answer:



## Create Network



Name

Type  Ethernet  Fibre Channel  FCoE  RoCE

VLAN  Tagged  Untagged

VLAN ID

Associate with IPv6 subnet ID

Subnet IDs cannot be assigned until a valid VLAN ID is specified

Purpose

Preferred bandwidth  Gb/s

Maximum bandwidth  Gb/s

Smart link

Private network

### QUESTION 3

Which statement about a Logical Enclosure for HPE BladeSystem is true?


- A. A logical enclosure can have between 1 to 5 HPE BladeSystem c7000 enclosures.
- B. A logical enclosure must be created only for monitored HPE BladeSystem C7000 enclosures.
- C. A logical enclosure is created automatically, and it is always based on a single enclosure.
- D. A logical enclosure can contain a mix of HPE BladeSystem c7000 and C3000 enclosures.

Correct Answer: C

### QUESTION 4



Refer to the exhibit:



A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The firmware repository is not defined within firmware compliance report
- B. The firmware repository service must be restarted using maintenance connection
- C. The refresh procedure must be performed on each logical enclosure to refresh firmware
- D. All of the components are up to date and compliant with firmware baseline

Correct Answer: B

**QUESTION 5**

DRAG DROP

For HPE Primera, match each task with the management tool that can be used to perform it.

Select and Place:

HPE OneView

HPE StoreServ Management Console

**Answer Area**

**Tool**

**Task**

Replication configuration

Volume to host presentation

Automated zoning with SAN Manager

Adding new storage pool

Correct Answer:



HPE OneView

HPE StoreServ  
Management Console

**Answer Area**

**Tool**

**Task**

HPE StoreServ  
Management Console

Replication configuration

HPE StoreServ  
Management Console

Volume to host presentation

HPE OneView

Automated zoning with SAN Manager

HPE OneView

Adding new storage pool

[HPE2-T37 VCE Dumps](#)

[HPE2-T37 Study Guide](#)

[HPE2-T37 Exam Questions](#)