



HPE2-Z39^{Q&As}

Fast Track - Applying Aruba Switching Fundamentals for Mobility

Pass HP HPE2-Z39 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-z39.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


What is one reason to configure a dynamic LACP link aggregation instead of a static link aggregation?

- A. so that the link aggregation automatically chooses its operational key
- B. so that the link aggregation can detect the system ID and operational key on the other side of each link
- C. so that the link aggregation can automatically change a passive LACP interface to active mode
- D. so that the link aggregation can include more interfaces with some interfaces on standby

Correct Answer: B

QUESTION 2

Refer to the exhibit.



All switches are ArubaOS switches that currently have the default spanning tree priority. Switch-1 should be the root of the spanning tree. If Switch-1 fails, Switch-2 should become root.

Which configuration for spanning tree priorities ensures this behavior?

- A. priority 15 on Switch-1 and priority 14 on Switch-2
- B. priority 0 on Switch-1 and priority 15 on Switch-2
- C. priority 0 on Switch-1 and priority 1 on Switch-2
- D. priority 15 on Switch-1 and priority 9 on Switch-2

Correct Answer: A



QUESTION 3

An Aruba Virtual Switching Framework (VSF) fabric has 10GbE interfaces assigned to its VSF link. The network administrator wants to change the link to use 40GbE interfaces.


Which procedure follows the best practices and requirements to set up the VSF links?

- A. Create an LACP link aggregation on the 40GbE interfaces, and then add them to the VSF link.
- B. Shut down the standby member, remove the VSF link, and then re-create the link with only 40GbE interfaces.
- C. Create a second VSF link that uses the 40GbE interfaces, and then remove the first VSF link.
- D. Add the 40GbE interfaces to the VSF link, and then remove the 10GbE interfaces from the link.

Correct Answer: A

QUESTION 4

Refer to the exhibit.



The Virtual Switching Framework (VSF) fabric and other switches connect on LACP link aggregations. They use OSPF for routing. What should a network administrator do to help network connectivity continue uninterrupted if the commander fails?

- A. Enable OSPF graceful restart (non-stop OSPF) on the VSF fabric.
- B. Configure LLDP-MAD on the VSF fabric.
- C. Configure a unique OSPF router ID on the standby member OOBM port.




D. Install a standby management module in the standby member.

Correct Answer: B

QUESTION 5

Refer to the exhibit.



How can the network administrator find the interface that Switch-3 uses to forward traffic from the Client to the Server?

- A. View the MAC forwarding table.
- B. View the LLDP remote devices list.
- C. View the IP routing table.
- D. View the ARP table.

Correct Answer: C

[HPE2-Z39 PDF Dumps](#)

[HPE2-Z39 Study Guide](#)

[HPE2-Z39 Braindumps](#)