



HPE2-Z39^{Q&As}

Fast Track - Applying Aruba Switching Fundamentals for Mobility

Pass HP HPE2-Z39 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-z39.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The switches in the exhibit use RSTP. The network administrator needs to add Link 2.

Exhibit Missing

Why should the administrator configure Links 1 and 2 as a link aggregation?

- A. to share traffic more evenly over both links
- B. to prevent a loop from occurring
- C. to automatically apply the settings already configured for Link 1 to Link 2
- D. 4th option Missing

Correct Answer: A

QUESTION 2

A network administrator suspects that interfaces in a link aggregation have been accidentally connected to multiple switches. The administrator wants to find the hostnames of the switches on the other side of the interfaces. How can the administrator find this information?

- A. Use the show lace command to view LACP information.
- B. Use the show trunks command to view link aggregation information.
- C. Use the show interface command to view detailed interface status.
- D. Use the show lldp info remote-device command to view LLDP information.

Correct Answer: D

QUESTION 3

```
Switch# show vlans port 1 detail
```

Status and Counters - VLAN Information - for ports 1

VLAN ID	Name	Status	Voice	Jumbo	Mode
5	VLAN5	Port-based	No	No	Untagged

```
Switch# show vlans port 2 detail
```

Status and Counters - VLAN Information - for ports 2

VLAN ID	Name	Status	Voice	Jumbo	Mode
1	DEFAULT_VLAN	Port-based	No	No	Untagged
5	VLAN5	Port-based	No	No	Tagged
6	VLAN6	Port-based	No	No	Tagged




This ArubaOS switch receives traffic without a VLAN tag on a switch port 1. The traffic is destined to a MAC address learned on port 2. What does the switch do with the traffic?

- A. It forwards the traffic on port 2 without a VLAN tag.
- B. It floods the traffic on port 2 on all VLANs.
- C. It drops the traffic.
- D. It forwards the traffic on port 2 with a VLAN tag of 5.

Correct Answer: C

QUESTION 4

Refer to the exhibit.



The switches in the exhibit use RSTP. The network administrator needs to add Link 2. Why should the administrator configure Links 1 and 2 as a link aggregation?

- A. to combine traffic statistics for the interfaces
- B. to prevent a loop from occurring
- C. to share traffic more evenly over both links
- D. to automatically apply the settings already configured for Link 1 to Link 2

Correct Answer: C

QUESTION 5

A network has ArubaOS switches and an Aruba Instant cluster with IP addresses on 10.1.255.0/24. The network administrator wants to manage the devices in Aruba AirWave. The administrator uses the SNMP credentials configured



on the switches to create a scan set for 10.1.255.0/24. The scan discovers the switches but not the Instant cluster.

What should the administrator do to discover the cluster in AirWave?

- A. Re-configure the scan set to use the Aruba Instant default SNMPv3 user admin
- B. Configure SNMP credentials in the Instant UI.
- C. Specify the AirWave IP address in the Instant UI System > Admin settings.
- D. Install the Instant cluster self-signed certificate on AirWave.

Correct Answer: B

[HPE2-Z39 PDF Dumps](#)

[HPE2-Z39 Study Guide](#)

[HPE2-Z39 Braindumps](#)