



HPE2-Z40^{Q&As}

Delta - Applying Aruba Switching Fundamentals for Mobility

Pass HP HPE2-Z40 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-z40.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
Switch-1 VSF configuration:
vsf
  member 1 type "J9850A"
  priority 128
  link 1 1/A23-1/A24,1/B23-1/B24
  link 1 name "I-Link1_1"
  exit

Switch-2 VSF configuration:
vsf
  member 2 type "J9850A"
  priority 255
  link 1 2/A23-2/A24,2/B23-2/B24
  link 1 name "I-Link2_1"
  exit
```

Switch-1 and Switch-2 have the Virtual Switching Framework (VSF) settings shown in the exhibits. The administrator then connects the switches together on the interfaces in the VSF link. The administrator first enables VSF on Switch-1 and confirms the reboot. After Switch-1 reboots, the administrator enables VSF on Switch-2 and confirms the reboot. What happens?

- A. Switch-1 and Switch-2 form a VSF fabric, and Switch-1 becomes the commander.
- B. Switch-1 and Switch-2 form a VSF fabric, and Switch-2 becomes the commander.
- C. Switch-1 and Switch-2 fail to form a VSF fabric, and all interfaces on both switches remain up.
- D. Switch-1 and Switch-2 form a VSF fabric, and all interfaces on Switch-1 are disabled.

Correct Answer: C

QUESTION 2

A network administrator configures LLDP-MAD on an Aruba Virtual Switching Framework (VSF) fabric. The administrator needs to enter an SNMP community string after v2c in this command: `Switch(config)# vsf lldp-mad ipv4 10.1.0.2 v2c`

Which SNMP community string should the administrator enter?

- A. one configured for the VSF fabric on AirWave.
- B. one configured on the device at 10.1.0.2.
- C. one configured on the standby member in the fabric.
- D. one configured on the VSF fabric as a whole.

Correct Answer: C



QUESTION 3


A company requires wireless services at a mid-sized campus. Which advantage do Aruba Instant Aps (IAPs) provide for such an environment?

- A. They are plug-and-play unmanaged APs that automatically support secure WLAN settings.
- B. They operate as thin APs that are automatically discovered and controlled by a mobility controller.
- C. They are controlled from a single interface without requiring the deployment of a separate controller.
- D. They include an embedded version of Aruba AirWave that makes them easy to deploy and manage.

Correct Answer: A

QUESTION 4

Refer to the exhibit.



The Virtual Switching Framework (VSF) fabric and other switches connect on LACP link aggregations.

They use OSPF for routing.

What should a network administrator do to help network connectivity continue uninterrupted if the commander fails?

- A. Install a standby management module in the standby member.
- B. Enable OSPF graceful restart (non-stop OSPF) on the VSF fabric.



C. Configure LLDP-MAD on the VSF fabric.

D. Configure a unique OSPF router ID on the standby member OOBNI port.

Correct Answer: A

QUESTION 5

Refer to the exhibit.

Device Actions: Management Level (dropdown), Monitor Only + Firmware Upgrades, Manage Read/Write

Default View: Group Devices [Total Row Count: 3]

DEVICE	STATUS	CONFIGURATION	CONTROLLER
ATPNL-Sa-IAPs	Up	Mismatched	-
IAP-North *	Up	Mismatched	ATPNL-Sa-IAPs
IAP-South	Up	Mismatched	ATPNL-Sa-IAPs

25 per page Page: 1 Go

An Aruba Instant cluster is added in Aruba AirWave. A network administrator needs to change the cluster management level to Manage Read/Write. The exhibit shows the current status for the cluster. What should the administrator do before changing the management level?

- A. Determine why AirWave cannot contact the cluster and resolve any connectivity issues in the network.
- B. Check the cluster SNMP credentials and resolve the mismatch between the cluster credentials and AirWave credentials.
- C. Investigate why the cluster configuration does not match the group configuration template and resolve any issues.
- D. Verify that the cluster is configured with the same shared key that is configured in the global AirWave settings.

Correct Answer: D

[HPE2-Z40 PDF Dumps](#)

[HPE2-Z40 Practice Test](#)

[HPE2-Z40 Braindumps](#)