



# HPE2-Z40<sup>Q&As</sup>

Delta - Applying Aruba Switching Fundamentals for Mobility

## Pass HP HPE2-Z40 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe2-z40.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A company requires wireless services at a mid-sized campus. Which advantage do Aruba Instant Aps (IAPs) provide for such an environment?

- A. They are plug-and-play unmanaged APs that automatically support secure WLAN settings.
- B. They operate as thin APs that are automatically discovered and controlled by a mobility controller.
- C. They are controlled from a single interface without requiring the deployment of a separate controller.
- D. They include an embedded version of Aruba AirWave that makes them easy to deploy and manage.

Correct Answer: A

---

### QUESTION 2

A network administrator configures LLDP-MAD on an Aruba Virtual Switching Framework (VSF) fabric. The administrator needs to enter an SNMP community string after v2c in this command: `Switch(config)# vsf lldp-mad ipv4 10.1.0.2 v2c`

Which SNMP community string should the administrator enter?

- A. one configured for the VSF fabric on AirWave.
- B. one configured on the device at 10.1.0.2.
- C. one configured on the standby member in the fabric.
- D. one configured on the VSF fabric as a whole.

Correct Answer: C

---

### QUESTION 3

Which devices must support Multi-User Multiple Input Multiple Output (MU-MIMO) in order for an AP to transmit to multiple clients simultaneously?

- A. all of the APs in a WLAN, but none of the clients
- B. the transmitting AP and at least one of the clients that receives simultaneous transmissions
- C. the transmitting AP and all of the clients
- D. the transmitting AP and all of the clients that receive simultaneous transmissions

Correct Answer: A

---

### QUESTION 4



A company wants to use Zero Touch Provisioning (ZTP) to provision new ArubaOS switches. Which AirWave settings must match the switch default SNMP and Telnet/SSH password settings?

- A. Credentials in device discovery settings
- B. Communication settings for the device group to which ZTP switches are assigned
- C. Settings in the device template for the device group to which ZTP switches are assigned
- D. Global communication settings

Correct Answer: C

---

#### QUESTION 5

A network administrator wants to apply a critical PoE priority to any ArubaOS switch port that connects to an Aruba AP. The priority should be applied dynamically based on LLDP messages received from the AP. Which step should the administrator take to meet this goal?

- A. Configure the PoE usage setting on all ports as //dp.
- B. Configure the PoE usage setting on all ports as class and make sure that Aruba APs are defined as Class 4 devices.
- C. Enable the default AP profile bound to the Aruba AP device type.
- D. Enable LLDP IVIED TLV extensions on the switch port.

Correct Answer: C

[Latest HPE2-Z40 Dumps](#)

[HPE2-Z40 Study Guide](#)

[HPE2-Z40 Braindumps](#)