



# HPE6-A29<sup>Q&As</sup>

Aruba Certified Mobility Professional 6.4

## Pass HP HPE6-A29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a29.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A wired device is connected to an untrusted port on a controller. How can a role be assigned to the device?

- A. An initial Role can be assigned directly to the VLAN
- B. Roles are assigned to devices connected to a trusted port
- C. A default Role can be directly assigned to an untrusted port
- D. Adding a wired AAA profile to a VLAN on the untrusted port
- E. The Role assigned to the untrusted port

Correct Answer: D

### QUESTION 2

Refer to Exhibit: A company deploys centralized licensing with centralized licensing redundancy. An administrator verifies that the centralized licensing is operational. Local controllers obtain licensing from the centralized license servers. The current network environment consists of:

License table	License Type	Total	Available
	AP	80	0
	RFP	80	0
	PEFNG	80	0

Local Controllers:

- 3600-64:  
LIC-RFP-64  
LIC-PEFNG-64
- 7010:  
LIC-8-AP  
LIC-RFP-8  
LIC-PEFNG-8
- 7010:  
LIC-8-AP  
LIC-RFP-8  
LIC-PEFNG-8

\*

79 Aps connected to the three local controllers.

\*

64 Aps connected to the 3600 controller.

\*

15 Aps connected to the two 7010 controller.



The activity and standby license servers were inadvertently connected to the same power source. The power source fails one day. The administrator then adds a newly purchased AP to the network while the license servers are still down. The new AP then boots up and attempts to connect to the 3600 local controller.

What happens to this AP?

- A. The 3600 uses the hardware-based AP license to allow the AP to associate to the controller.
- B. the 3600 fails to obtain the correct licensing and will not allow the AP to associate to the controller.
- C. the 3600 uses its own local software licensing to allow the AP to associate to the controller.
- D. The available license count is reset and the 3600 obtains the correct licensing from the new active licensing server.

Correct Answer: A

---

### QUESTION 3

Which of the following statements allows a user to initiate an HTTP session to other devices?

- A. any alias internal-nets svc-dns permit
- B. user any svc-http permit
- C. user user svc-http permit
- D. any any svc-http permit

Correct Answer: BD

---

### QUESTION 4

An administrator purchases some new Aps for branch offices. Currently the Aps at the branch offices connect to local Aruba Mobility Controller at the corporate office across a private WAN. The network is managed with the Aruba AirWave management platform. The administrator wants to ensure that when the new Aps are plugged in and booked up the Aps can automatically discover and register with the AirWave server and obtain AP Group configuration.

Which Aruba tool should the administrator use?

- A. Clearpass
- B. Activate
- C. Central
- D. Meridan

Correct Answer: A

---

### QUESTION 5



An administrator configures a Virtual AP (VAP) profile for an AP Group Which profiles must the administrator reference in the VAP configuration so that the VAP is functional and the WLAN can be used to connect wireless users to the network? (Select two.)

- A. AAA
- B. Radio Settings
- C. SSID
- D. VLAN Profile
- E. System Profile

Correct Answer: AC

[HPE6-A29 Study Guide](#)

[HPE6-A29 Exam Questions](#)

[HPE6-A29 Braindumps](#)