



HPE6-A42^{Q&As}

Implementing Aruba WLAN (IAW) 8

Pass HP HPE6-A42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a42.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A network administrator has installed PEF licenses in the global pool of a Mobility Master (MM) solution. When the administrator tries to configure roles and policies, an error indicates that the PEF licenses must be installed.

What should the administrator do to correct this issue?

- A. Ensure the PEF licenses were installed at the Managed Network and not at the MM level.
- B. Enable Building 1 as a local license pool.
- C. Enable the PEF feature in the Global Usage window.
- D. Activate the PEF licenses through an Aruba Activate account.

Correct Answer: A

QUESTION 2

A company has an Aruba solution. A network administrator wants to prevent wireless users from accessing shopping web sites with a bad reputation.

What should the administrator set up to deny such traffic?

- A. an AppRF engine
- B. application filters in the Traffic Analysis dashboard
- C. firewall access control rules that specify HTTP and HTTPS services
- D. firewall application rules

Correct Answer: D

QUESTION 3

Refer to the exhibit.

**Roles Policies Applications****Roles > admins Policies Bandwidth Captive Portal More** [Show Basic View](#)

NAME	RULES COUNT	TYPE	POLICY USAGE
global-sacl	0	session	guest, stateful-dot1x, defa...
apprf-admins-sacl	0	session	admins
admins	0	session	admins
allow-network1	1	session	admins

+

admins Policies > allow-network1

TYPE	SOURCE	DESTINATION	SERVICE/APPLICATI...	ALLOW
ipv4	user	alias	any	permit

The alias in the rule shown in the exhibit is network 10.1.1.0/24.

A wireless client is assigned IP address 10.1.2.10/24 and the "admins" role. The wireless client at 10.1.2.10 attempts to initiate a Web session with a server at 10.1.1.2. a wired client at 10.1.1.3 attempts to initiate an SSH session with the wireless client at 10.1.2.10.

How does the Aruba firewall handle these attempts?

- A. The firewall drops the traffic from the wireless client. The firewall drops the traffic from the wired client.
- B. The firewall permits the traffic from the wireless client, but drops the return traffic from the server. The firewall drops the traffic from the wireless client.
- C. The firewall permits the traffic from the wireless client and also permits the return traffic from the server. The firewall permits the traffic from the wired client and also permits the return traffic from the wireless client.
- D. The firewall permits the traffic from the wireless client and also permits the return traffic from the server. The firewall drops the traffic from the wired client.

Correct Answer: C

QUESTION 4

A network administrator wants to assign an authentication server group to the WPA2-Enterprise WLAN. Which profile should the administrator modify?

- A. Virtual AP
- B. SSID



C. AAA

D. L2 Authentication

Correct Answer: C

QUESTION 5

An Aruba Mobility Master (MM)-based solution has a WLAN that uses WPA2-Enterprise security. A test login on a wireless client fails.

How can a network administrator determine whether the RADIUS server rejected the credentials or another issue occurred?

- A. View Technical Support information for the MM.
- B. Ping the IP address configured as the RADIUS server.
- C. Use the MM AAA Server Test Diagnostic tool.
- D. Use the tools in the MM Dashboard > Security window.

Correct Answer: C

[HPE6-A42 PDF Dumps](#)

[HPE6-A42 Practice Test](#)

[HPE6-A42 Study Guide](#)