



HPE6-A43^{Q&As}

Implementing Aruba Location Services

Pass HP HPE6-A43 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a43.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A network engineer plans an OAuth login scenario with ClearPass for mobile device authentication with a venue app. Which step occurs first?

- A. The client device sends a token to the info URL.
- B. The client device requests a token.
- C. The user creates a guest user in ClearPass.
- D. The user logs into the Meridian app.

Correct Answer: A

QUESTION 2

What is required for OAuth2 integration between the Meridian Editor and ClearPass? (Select two.)

- A. The ClearPass Server must have a public IP address.
- B. The ClearPass Server must have a public certificate.
- C. The Meridian Editor must have a public certificate.
- D. The ClearPass Server must be configured to send authentication requests to the Meridian Editor.
- E. ClearPass must have COA (Change of Authorization) enabled.

Correct Answer: AB

QUESTION 3

Campaigns can be tied to which beacons types?

- A. placed location beacon
- B. placed proximity beacon
- C. unplaced location beacon
- D. unplaced proximity beacon

Correct Answer: B

QUESTION 4

A retail customer does not have an Aruba location services deployment but has an existing Aruba Wi-Fi network with an Aruba 7210 controller with AP-205. The customer has identified six locations around its retail store where they would like



to implement campaign push notifications. The customer also requires beacon management.

Which product mix is most suitable for this customer to achieve the goals of proximity push notifications as well as beacon management?

- A. six AP-215s and six battery-powered beacons
- B. six AP-325s
- C. six AP-275s and six USB management beacons
- D. six battery-powered beacons

Correct Answer: B

QUESTION 5

Which statement is correct about the power level of Aruba Beacons?

- A. The power level can be changed on a location beacon and a USB beacon, but not on a proximity beacon.
- B. The power level of a proximity beacon can be changed, but the power level of a location beacon cannot be changed.
- C. The power level can be changed for all Aruba Beacon modes and will determine coverage area.
- D. The power level cannot be changed on either a location or a proximity beacon, but can be changed on an Aruba Sensor and a USB beacon.

Correct Answer: C

[HPE6-A43 VCE Dumps](#)

[HPE6-A43 Study Guide](#)

[HPE6-A43 Exam Questions](#)