



# HPE6-A44<sup>Q&As</sup>

Scalable WLAN Design and Implementation (SWDI) 8

**Pass HP HPE6-A44 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a44.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator implements per-user tunneled node that involves ArubaOS-Switches and Aruba Mobility Controllers (MCs). What always happens when a wired client connects to the network?

- A. All switch traffic is tunneled to the controller.
- B. The switch performs user authentication.
- C. The tunnel fails unless VMCs are used.
- D. Wired users map to an AAA profile on the controller.

Correct Answer: D

---

### QUESTION 2

An administrator adds local administrative accounts to manage the Aruba Mobility Controllers (MCs). Which role should the administrator assign to an administrator who should have the same privileges as the default admin account?

- A. level-15
- B. superuser
- C. root
- D. admin

Correct Answer: D

---

### QUESTION 3

An administrator configures a mesh cluster profile and has defined the RF band and cluster name. What else must the administrator configure in the profile?

- A. WPA hexkey or passphrase
- B. CPSec
- C. Mesh portal IP address(es)
- D. IPSec

Correct Answer: A

---

### QUESTION 4

An administrator supports a cluster of four Aruba Mobility Controllers (MCs) with management addresses of 10.1.100.101, 10.1.100.102, 10.1.100.103, and 10.1.274.426. The administrator accesses an AP associated with this



cluster, reboots it and accesses apboot mode. The administrator executes the printenv command. Which AP parameter contains the IP addresses of the cluster members that the AP should use to connect to the cluster?

- A. Nodelist
- B. Servername
- C. Master\_ip
- D. Cfg\_lms

Correct Answer: A

Reference:

<https://www.arubanetworks.com/assets/atmosphere/2018-Airheads/Fundamentals%20Guide%20-%20ArubaOS%208%20Fundamentals.pdf>

Page 89

---

#### QUESTION 5

An administrator purchases a RAP and has it shipped directly to a branch office. The branch office plugs in the RAP and the RAP contacts Aruba Activate. The RAP learns the Mobility Controller (MC) IP address and connects to it. However, the connection fails. Upon verifying the MC IP address in Aruba Activate, what should the administrator do to allow the RAP connection to succeed?

- A. Whitelist the RAP's IP address on the MC.
- B. Define the RAP's IPsec pre-shared key in Activate.
- C. Whitelist the RAP's certificate on the MC.
- D. Configure a VPN address pool in Activate.

Correct Answer: A

[HPE6-A44 PDF Dumps](#)

[HPE6-A44 Study Guide](#)

[HPE6-A44 Exam Questions](#)