



HPE6-A44^{Q&As}

Scalable WLAN Design and Implementation (SWDI) 8

Pass HP HPE6-A44 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a44.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A group of users on the same floor of a campus residence experience connectivity problems continuously throughout the morning. The administrator suspects that it is a L1 problem with physical interference.

What can the administrator do to find the cause of this problem?

- A. Access a controller's spectrum analysis data directly from AirWave with Quick Links.
- B. Access RAPIDS data from AirWave's RAPIDS section.
- C. Access RAPIDS data from AirWave's dashboards, under Home.
- D. Access a controller's spectrum analysis data from AirWave's dashboards, under Home.

Correct Answer: D

QUESTION 2

Which VPN component must be configured on the Mobility Master (MM) to allow a RAP to use the built-in certificate to successfully connect to a Mobility Controller (MC)?

- A. IP Address pool
- B. VPN username and password
- C. IPSec pre-shared key
- D. CPsec auto-whitelist

Correct Answer: C

QUESTION 3

An administrator has a cluster of Aruba Mobility Controllers (MCs). The administrator wants to manually reboot one of the controllers.

Before rebooting, which command should the administrator use to move the APs?

- A. apmove
- B. lc-cluster move ap
- C. active-ap-rebalance
- D. active-ap-lb

Correct Answer: B



QUESTION 4

An administrator needs to modify a VAP used for a branch office RAP. The VAP's operating mode is currently defined as backup and uses tunnel mode forwarding. The administrator wants to implement split-tunnel forwarding mode in the VAP.

Which WLAN operating mode must the administrator define for the VAP before the tunnel forwarding mode can be changed to split-tunnel?

- A. Persistent
- B. Standard
- C. Trusted
- D. Always

Correct Answer: B

QUESTION 5

An administrator has multiple AAA servers, some Microsoft RADIUS and some ClearPass. When 802.1X users authenticate, the administrator wants to ensure that the authentication requests are handled by the appropriate AAA server.

Users enter their username in this format: username@domain_name.

What administrator implement to ensure the correct AAA server processes the authentication request?

- A. server matching rules for the VAP profile
- B. server matching rules for the server group
- C. server matching rules for the AAA profile
- D. server matching rules for the 802.1X profile

Correct Answer: B

[HPE6-A44 PDF Dumps](#)

[HPE6-A44 VCE Dumps](#)

[HPE6-A44 Braindumps](#)