



# HPE6-A47<sup>Q&As</sup>

Designing Aruba Solutions

**Pass HP HPE6-A47 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a47.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An architect needs to plan a very high density (VHD) wireless network at a large events venue, at which thousands of attendees are expected. The architect plans to deploy a cluster of Mobility Controllers (MCs) to control the APs. It is important to support seamless roaming for wireless device across the venue.

What should the architect ensure for the network services?

- A. DHCP servers can support a high number of scopes with a /24 size.
- B. A third-party firewall integrates with ClearPass to filter the guest user traffic.
- C. A domain CA is set up to deploy certificates to a high volume of guest devices.
- D. DHCP and DNS servers are carrier-grade and support a low transaction time.

Correct Answer: B

---

### QUESTION 2

An architect needs to plan a wireless deployment. The architect conducts a physical walkthrough, but still needs more information.

Which significant RF obstacle can be difficult to see visually and might require access to blueprints?

- A. fiberglass
- B. metal firewall
- C. ceiling tiles
- D. drywall

Correct Answer: A

---

### QUESTION 3

An architect plan to purpose an Aruba wireless solution with several Mobility Controllers (MCs) and a Mobility Master (MM) architecture. Wireless users run Skype for Business, a Unified Communications (UC) solution. The architect plans to use the Aruba SDN capabilities to integrate with the UC solution.

What helps to support high availability specifically for the SDN services?

- A. a redundant master MC
- B. backup controllers defines on the APs
- C. a cluster deployment for MCs
- D. a redundant MM



Correct Answer: D

**QUESTION 4**

A customer requires a wireless upgrade. The architect proposes: Aruba AP-325s Mobility Controller (MC) 7210s Virtual Mobility Masters (MMs) ClearPass AirWave

The customer is interested in wired authentication, as well as wireless authentication, but does not have the budget to upgrade the wired network. The wired network does not currently support 802.1X or RADIUS.


Which feature of the Aruba solution should the architect explain to justify the proposed solution?

- A. The customer can direct all wired traffic through the MCs, which will then apply security to that traffic.
- B. The customer can direct all wired traffic through the MMs, which will impose basic security checks.
- C. ClearPass OnConnect can enable wired authentication on these switches through the use of SNMP.
- D. AirWave can manage these switches and shut down their ports if an unknown user or device connects.

Correct Answer: C

**QUESTION 5**

Refer to the exhibit.



An architect selects 5406R switches for the aggregation layer.

What is an appropriate amount of bandwidth for the link aggregation between each aggregation layer VSF fabric and the campus core?



- A. 60 Gbps
- B. 160 Gbps
- C. 200 Gbps
- D. 320 Gbps

Correct Answer: C

[HPE6-A47 VCE Dumps](#)

[HPE6-A47 Practice Test](#)

[HPE6-A47 Braindumps](#)