HPE6-A68^{Q&As}

Aruba Certified ClearPass Professional (ACCP) V6.7

Pass HP HPE6-A68 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/hpe6-a68.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Refer to the exhibit.

Based on the Guest Role Mapping Policy shown, what is the purpose of the Role Mapping Policy?

A. to display a role name on the Self-registration receipt page

B. to send a firewall role back to the controller based on the Guest User\\'s Role ID

C. to assign Controller roles to guests

D. to assign three roles of [Contractor], [Guest] and [Employee] to every guest user

E. to create additional account roles for guest administrators to assign to guest accounts

Correct Answer: C

QUESTION 2

Refer to the exhibit.

Enforcement Policies - Enterprise Enforcement Policy

| Summary | Enforcement | Rules |

Enforcement:

Name:	Enterprise Enforcement Policy
Description:	Enforcement policies for local and remote employees
Enforcement Type:	RADIUS
Default Profile:	[Deny Access Profile]

Rules:

Rules Evaluation Algorithm: Evaluate all

	Conditions	Actions
1.	(Tips: Posture Equals HEALTHY (0)) AND (Tips:Role MATCHES ANY Remote Worker Role Engineer testqa) AND (Date:Day-of-Week NOT_BELONGS_TO Saturday, Sunday)	[RADIUS] EMPLOYEE_VLAN, [RADIUS] Remote Employee ACL
2.	(Tips:Role EQUALS Senior_Mgmt) AND (Date:Day-of-Week NOT_BELONGS_TO Saturday, Sunday)	[RADIUS] EMPLOYEE_VLAN
3.	(Tips:Role EQUALS San Jose HR Local) AND (Tips: Posture EQUALS HEALTHY (0))	HR VLAN
4.	(Tips:Role EQUALS [Guest]) AND (Connection:SSID CONTAINS guest)	[RADIUS] WIRELESS_GUEST_NETWORK
5.	(Tips:Role EQUALS Remote Worker) AND (Tips:Posture NOT_EQUALS HEALTHY (0))	RestrictedACL

Based on the Enforcement Policy configuration shown, when a user with Role Engineer connects to the network and the posture token assigned is Unknown, which Enforcement Profile will be applied?

A. EMPLOYEE_VLAN

B. RestrictedACL

C. Deny Access Profile

D. HR VLAN

E. Remote Employee ACL

Correct Answer: C

QUESTION 3

Refer to the exhibit.

Home >> Configuration >> Web Logins

RADIUS Web Login

Use this form to make changes to the RADIUS Web Login **Guest Network**.

RADIUS Web Login Editor	
* Name:	Guest Network Enter a name for this web login page.
Page Name:	Aruba_login Enter a page name for this web login. The web login be accessible from "/guest/page_name.php".
Description:	 Comments or descriptive text about the web login.
* Vendor Settings:	Aruba Networks ▼ Select a predefined group of settings suitable for standard network configurations.
Address:	securelogin arubanetworks.com Enter the IP address or hostname of the vendor's product here.
Secure Login:	Use vendor default ▼ Select a security option to apply to the web login process.
Dynamic Address:	☐ The controller will send the IP to submit credentials In multi-controller deployments, it is often required to post credentials to different addresses. The address above will be used whenever the parameter is not available or fails.

When configuring a Web Login Page in ClearPass Guest, the information shown is displayed. What is the Address field value `securelogin.arubanetworks.com\\' used for?

A. for ClearPass to send a TACACS+ request to the NAD

B. for appending to the Web Login URL, before the page name

C. for the client to POST the user credentials to the NAD

D. for ClearPass to send a RADIUS request to the NAD

E. for appending to the Web Login URL, after the page name.

Correct Answer: C

QUESTION 4

Under which circumstances is it necessary to use an SNMP based Enforcement profile to send a VLAN?

A. when a VLAN must be assigned to a wired user on an Aruba Mobility Controller

B. when a VLAN must be assigned to a wireless user on an Aruba Mobility Controller

C. when a VLAN must be assigned to a wired user on a third party wired switch that does not support RADIUS return attributes

D. when a VLAN must be assigned to a wired user on an Aruba Mobility Access Switch

E. when a VLAN must be assigned to a wired user on a third party wired switch that does not support RADIUS accounting

Correct Answer: C

QUESTION 5

Which database in the Policy Manager contains the device attributes derived by profiling?

A. Endpoints Repository

B. Client Repository

C. Local Users Repository

D. Onboard Devices Repository

E. Guest User Repository

Correct Answer: A

Configure [Endpoints Repository] as Authorization Source. Endpoint profile attributes derived by Profile are available through the `[Endpoint Repository]\\' authorization source. These attributes can be used in role-mapping or enforcement policies to control network access. Available attributes are: Authorization:[Endpoints Repository]:MAC Vendor Authorization:[Endpoints Repository]:Category Authorization:[Endpoints Repository]:OS Family Authorization:[Endpoints Repository]:Name References: ClearPass Profiling TechNote (2014), page 29 https://community.arubanetworks.com/ar uba/attachments/aruba/ForoenEspanol/653/1/ClearPass%20Profiling%20TechNote.pdf

Latest HPE6-A68 Dumps   HPE6-A68 VCE Dumps   HPE6-A68 Study Guide