



HPE6-A70^{Q&As}

Aruba Certified Mobility Associate Exam

Pass HP HPE6-A70 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a70.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is one setting that a network administrator can configure for user roles in an Aruba solution?

- A. DHCP pool
- B. ClientMatch rules
- C. source NAT
- D. Maximum session

Correct Answer: D

QUESTION 2

Assume that administrators accept the default forwarding mode for WLANs. How does wireless user traffic flow in a master-local architecture, and how does it flow in a Mobility Master (MM) architecture?

- A. In the master-local architecture, all traffic is tunneled to the master controller to handle. In a MM architecture, all traffic is tunneled to the MM to handle.
- B. In both architectures, APs forward corporate user traffic locally and tunnel guest user traffic to a Mobility Controller (MC) to handle.
- C. In both architectures, traffic is tunneled to a Mobility Controller (MC) to handle.
- D. In the master-local architecture, traffic is tunneled to a local Mobility Controller (MC) to handle. In a MM architecture, all traffic is tunneled to the MM to handle.

Correct Answer: C

QUESTION 3

An AP operates on channel 6. Which device causes the most significant and consistent interference with the signal?

- A. cellular phone
- B. weather radar
- C. wireless security camera operating on channel 8
- D. AP operating on channel 11

Correct Answer: C

QUESTION 4

A network administrator examines a list of 2.4GHz clients with low performance in the Mobility Master (MM) dashboard.



Which property for a client should pose a concern as a potential performance issue?

- A. Radio PHY of HT 20MHz
- B. Max speed of 72Mbps
- C. Goodput data rate of 12 Mbps
- D. Usage of 10 MB

Correct Answer: D

QUESTION 5

Refer to the exhibits.

Exhibit 1

Exam_Guest General **VLANs** Security Access

VLAN:

Hide VLAN details

Named VLANs

Name	ID(S)
employee	51
guest	99
--	1,55

+

VLAN IDs

ID	IPV4 ADDRE...	IPV6 ADDRE...	ENABLE NAT	PORT MEM...	ADMIN STATE	OPERATION...	DHCP SETTL...
99	--	--	Enabled	--	Enabled	N/A	None

Exhibit 2



Exam_Guest General VLANs Security Access

Clearpass or other external captive portal

Internal captive portal with authentication

Exhibit 3

Exam_Guest General VLANs Security Access

Default role: exam_guest-guest-logon

A network administrator creates a guest WLAN on an Aruba Mobility Manager (MM). The exhibits show some of the settings for the WLAN. The administrator does not change the policies for those roles.

How does the firewall control guest clients when they first connect to the WLAN?

- A. It permits them to send any DHCP traffic and DNS and web traffic to the Internet. It redirects web traffic destined to the private network to a login portal.
- B. It permits them to send any DHCP and DNS and it redirects all web traffic to a login portal.
- C. It permits them to send any DHCP and RADIUS traffic. It redirects all web traffic destined to the Internet to a login portal and drops web traffic destined to the private network.
- D. It does not permit them to send any traffic until they are authenticated.

Correct Answer: B

[Latest HPE6-A70 Dumps](#)

[HPE6-A70 VCE Dumps](#)

[HPE6-A70 Exam Questions](#)