



HPE6-A71^{Q&As}

Aruba Certified Mobility Professional Exam

Pass HP HPE6-A71 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a71.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator implements machine authentication in an 802.1X profile. Which user role will be assigned to the user's session if machine authentication fails, but the 802.1X user authentication passes for a user who connects?

- A. 802.1X default user role
- B. Machine authentication initial user role
- C. 802.1X initial user role
- D. Machine authentication default user role

Correct Answer: D

QUESTION 2

Where would an administrator define the split-tunneling mode for a RAP located at a branch office?

- A. the Firewall policy on the RAP
- B. the AAA policy on the controller
- C. the Firewall policy on the controller
- D. the VAP profile on the controller

Correct Answer: D

the WLAN was created to use the tunnel-forwarding mode. To configure the WLAN to use split-tunnel mode, you must edit the WLAN profile.

QUESTION 3

An administrator implements machine authentication in an 802.1X profile. Which user role will be assigned to the user's session if machine authentication passes, but the 802.1X user authentication fails for a user who connects?


- A. 802.1X default user role
- B. Machine authentication default machine role
- C. 802.1X initial user role
- D. Machine authentication default user role

Correct Answer: B



QUESTION 4

Refer to the exhibit.



An administrator supports a RAP at a branch office shown in the exhibit. The company has one Mobility Controller (MC) at the Primary DMZ site and one at the Secondary DMZ site. The RAP is configured to connect to only the MC at the Primary DMZ site. A network outage with the ISP at the Primary DMZ site causes the RAP to reboot. Upon reboot, the RAP cannot build a tunnel to the Secondary DMZ site MC because the administrator forgot to add the Second LMS IP address to the AP Group configuration. Once the RAP can successfully connect, the administrator can add the Secondary DMZ MC as a backup LMS to fix the AP Group.

What should the administrator implement to allow the RAP to connect to the MC at the Secondary DMZ site while the outage at the primary site persists?

- A. Dynamic discovery through DHCP Option 43
- B. Static configuration from apboot mode
- C. Dynamic discovery through DHCP Option 60
- D. Dynamic discovery through multicast ADP

Correct Answer: B

QUESTION 5



Where on the Mobility Master (MM) can an administrator configure the VIA connection profile?

- A. L2 Authentication
- B. L3 Authentication
- C. AAA Profiles
- D. User Roles

Correct Answer: B

[HPE6-A71 Practice Test](#)

[HPE6-A71 Exam Questions](#)

[HPE6-A71 Braindumps](#)