



HPE6-A73^{Q&As}

Aruba Certified Switching Professional

Pass HP HPE6-A73 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a73.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which AOS-CX feature is used to prevent head-on-line (HOL) blocking?

- A. VSF
- B. WFQ
- C. VOQ
- D. VSX

Correct Answer: C

QUESTION 2

Which AOS-CX switches support weighted fair queuing (WFQ)?

- A. Both 8320 and 8325
- B. Both 6300 and 6400
- C. 8400 only
- D. 6300 only

Correct Answer: C

Explanation: https://www.arubanetworks.com/techdocs/AOS-CX/AOS-CX-CLI-Bank/cli_8400/Content/QoS_cmds/wfq-que-xl-swi.htm

QUESTION 3

Examine the output from an AOS-CX switch implementing a dynamic segmentation solution involving downloadable user roles:

```
Switch# show port-access role clearpass
```

Role information:

Name : icxarubadur_employee-3044-2

Type : clearpass

Status: failed, parsing_failed

Reauthentication Period :

Authentication Mode :

Session Timeout :



The downloadable user roles are not being downloaded to the AOS-CX switch. Based on the above output, what is the problem?

- A. The certificate that ClearPass uses is invalid
- B. The AOS-CX switch does not have the ClearPass certificate involved
- C. DNS fails to resolve the ClearPass server's FQDN
- D. There is a date/time issue between the ClearPass server and the switch

Correct Answer: C

Explanation: "The top-right example shows a parsing_failed status, typically indicative of either a DNS or network connectivity issue."

QUESTION 4

What is correct regarding the operation of VSX and multicasting with PIM-SM routing configured?

- A. Each VSX peer runs PIM and builds its own group database. One of the VSX peers is elected as the designated router (DR) to forward multicast streams to a receiver VLAN
- B. Each VSX peer runs PIM and creates a shared group database. Both VSX peers can forward multicast streams to receivers in a VLAN, achieving load sharing
- C. Each VSX peer runs PIM and builds its own group database. Both VSX peers can forward multicast streams to receivers in a VLAN, achieving load sharing
- D. Each VSX peer runs PIM and creates a shared group database. One of the VSX peers is elected as the designated router (DR) to forward multicast streams to a receiver VLAN

Correct Answer: A

Explanation: "both VSX switches as a PIM Designate Router (DR). One node is the actual DR, the other node is the proxy DR." "Only the actual DR performs multicast routing and forward traffic destined to groups to its downstream VLANs in the data-path." https://www.arubanetworks.com/techdocs/AOS-CX/10.07/HTML/5200-7888/Content/Chp_Pre_tra_loss/ip-mul-rou-10.htm

QUESTION 5

When cutting and pasting configurations into NetEdit, which character is used to enter commands within the context of the previous command?

- A.
- B. ">"
- C. Space
- D. Tab

Correct Answer: D



VCE & PDF

GeekCert.com

<https://www.geekcert.com/hpe6-a73.html>

2024 Latest geekcert HPE6-A73 PDF and VCE dumps Download

[Latest HPE6-A73 Dumps](#)

[HPE6-A73 PDF Dumps](#)

[HPE6-A73 Braindumps](#)