https://www.geekcert.com/hpe6-a75.html

2024 Latest geekcert HPE6-A75 PDF and VCE dumps Download

HPE6-A75^{Q&As}

Aruba Certified Edge Professional Exam

Pass HP HPE6-A75 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/hpe6-a75.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Refer to the exhibit.

	Conditions	Role Name
1.	(Authorization:remotelab AD:Department EQUALS Product Management) OR (Authorization:remotelab AD:UserDN EQUALS Executive)	Executive
2.	(Authorization:[Endpoints Repository]:OS Family EQUALS_IGNORE_CASE Windows)	Vendor
3.	(Authorization:[Endpoints Repository]:Category CONTAINS SmartDevice) AND (Authorization:[Endpoints Repository]:OS Family EQUALS_IGNORE_CASE Apple)	iOS Device
4.	(Authorization:remotelab AD:UserDN EXISTS)	[Employee]
5.	(Authorization:remotelab AD:Department EQUALS HR) OR (Connection:NAD-IP-Address BELONGS_TO_GROUP HQ) OR (Date:Day-of-Week NOT_BELONGS_TO Saturday, Sunday)	HR Local
6.	(Host:OSType CONTAINS Fedora) OR (Host:OSType CONTAINS Redhat) OR (Host:OSType CONTAINS Ubuntu)	Linux User
7.	(Connection:NAD-IP-Address BELONGS_TO_GROUP Remote NAD)	Remote Employee

Exhibit:accp67-236

An AD user\\'s department attribute is configured as *HR". The user connects on Monday using their Windows Laptop to a switch that belongs to the Device Group HQ. Which role is assigned to the user in ClearPass?

A. Executive

B. iOS Device

C. Vendor

D. Remote Employee

E. HR Local

Correct Answer: DE

QUESTION 2

Refer to the exhibit.

Exhibit 1

Exhibit 2

```
Switch-1 partial running config
vlan 100
 ip address 10.3.0.1 255.255.255.252
 ip ospf area 0.0.0.3
#
router ospf
 area 0.0.0.1
 area 0.0.0.2
 area 0.0.0.3
 area 0.0.0.1 range 10.1.0.0 255.255.0.0 type summary cost 1

Switch-2 router ospf config
vlan 100
 ip address 10.3.0.2 255.255.255.252
 ip ospf area 0.0.0.3
#
router ospf
 area 0.0.0.1
 area 0.0.0.2
 area 0.0.0.3
 area 0.0.0.2 range 10.2.0.0 255.255.0.0 type summary cost 1
```

A company has attempted to implement OSPF without success. The devices in Area I need to be able to reach Area 2. Routes should be aggregated for advertisement in other areas. What must be changed to meet these requirements?

A. Change Area 3 to Area 0; remove Area 1 from Switch-2 and Area 2 from Switch-1.

B. Add the 10.2.0.0/16 range on Swttch-1 and the 10.1.0.0/16 range on Switch-2.

C. Add Area 1 and Area 2 on VIAN 100 on both Switch-1 and Switch-2. Remove Area 3.

D. Move the 10.1.0.0/16 range to Area 2 on Switch-1 and the 10.2.0.0/16rangetoArea 1 onSwitch-2.

Correct Answer: A

QUESTION 3

Refer to the exhibit.

Based on the Enforcement Policy configuration, when a user with Role Engineer connects to the network and the posture token assigned is Unknown, which Enforcement Profile will be applied?

A. EMPLOYEE_VLAN

B. RestrictedACL

C. Deny Access Profile

D. HR VLAN

E. Remote Employee ACL

Correct Answer: C

QUESTION 4

The administrator expects the AP to connect to a cluster, but the AP tails to connect. The administrator examines the configuration of an AP from apboot mode shown in the exhibit. What can the administrator determine about the configuration of the AP?

```
apboot> printenv
servername=aruba-master
name=AP1
group=apgroup1
cert_cap=1
backup_vap_init_master=10.1.20.100
num_ipsec_retry=85
backup_vap_password=3A28B643D862568...
backup_vap_opmode=0
backup_vap_band=2
rap_tftp_upgrade=0
cfg_lms=10.1.10.101
stdin=serial
<-output omitted->
```

A. The AP is configured to terminate on a non-cluster Mobility Controller.

B. The AP is configured as a RAP to terminate on a stand-alone controller.

C. The AP is configured as a RAP to terminate on a Mobility Master.

D. The AP is configured to terminate on a Mobility Controller in a cluster.

Correct Answer: C

QUESTION 5

Refer to the exhibit.

```
Switch# ping 10.1.10.5
10.1.10.5 is alive, time = 3 ms

Switch# show radius authentication

 Status and Counters - RADIUS Authentication Information

  NAS Identifier          : Access-1
  Invalid Server Addresses : 0
                 UDP
  Server IP Addr  Port  Timeouts   Requests    Challenges Accepts     Rejects
  --------------- ----- ---------- ----------- ---------- ----------- -----------
  10.1.10.5       1812  6          3           0          0           0
```

A network administrator sets up 802.1X authentication to a RADIUS server on an AOS- Switch. The

RADIUS server and user devices are both set up to use REAP MSCHAPv2. The administrator tests the authentication and sees the output shown in the exhibit. Which issue could cause this output?

A. The RADIUS shared secret does not match on the switch and the server.

B. The administrator entered the wrong password for the test account.

C. The switch does not have a certificate tor port-access installed on the switch.

D. The switch port is set for user mode 801. IX. but the RADIUS server is set for port mode.

Correct Answer: A

HPE6-A75 Study Guide   HPE6-A75 Exam Questions   HPE6-A75 Braindumps