



# HPE6-A75<sup>Q&As</sup>

Aruba Certified Edge Professional Exam

**Pass HP HPE6-A75 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a75.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When is it necessary to use an SNMP based Enforcement profile to send a VIAN?

- A. When we have to assign a vlan to a wired user on a third party wired switch that doesn't support RADIUS return attributes.
- B. When we have to assign a VLAN to a wired user on an Aruba Mobility Access Switch.
- C. When we have to assign a VIAN to a wired user on an Aruba Mobility Controller.
- D. When we have to assign a VLAN to a wired user on a third party wired switch that doesn't support RADIUS authentication.
- E. When we have to assign a VLAN to a wireless user on an Aruba Mobility Controller.

Correct Answer: B

---

### QUESTION 2

Which ArubaOS CLI command can an administrator execute to determine if AP load balancing is enabled in a cluster?

- A. show switches
- B. show lc-cluster group-membership
- C. show aaa cluster essid
- D. show ap active

Correct Answer: B

---

### QUESTION 3

An administrator configures an ArubaOS-Switch for per-user tunneled node. Which protocols does the switch use to establish and maintain a connection with the Aruba Mobility Controller (MO)? (Select two.)

- A. GRE
- B. SSL
- C. PAPI
- D. IPsec

Correct Answer: AC

---

### QUESTION 4



A company has AOS-Switches deployed at sites with inexperienced IT staff. The main office network administrators want to track if configurations change on branch switches.

What should be set up for this purpose?

- A. an SNMP trap
- B. an RMON alarm
- C. an auto-config server
- D. an IP SLA profile

Correct Answer: A

---

#### QUESTION 5

A network administrator wants to use Aruba AirWave to audit an AOS-Switch configuration. What is one requirement?

- A. The switch defines the AirWave IP address in its zero touch provisioning (ZTP) profile.
- B. The switch specifies the AirWave IP address for the RADIUS server used for Telnet and SSH authentication.
- C. The switch is authorized in AirWave, which has the correct credentials to log in as a CLI manager.
- D. The switch is set to Manage Read-Write mode in AirWave but is not set to Monitor Only + Firmware Updates.

Correct Answer: B

[HPE6-A75 Practice Test](#)

[HPE6-A75 Study Guide](#)

[HPE6-A75 Exam Questions](#)