



# HPE6-A75<sup>Q&As</sup>

Aruba Certified Edge Professional Exam

**Pass HP HPE6-A75 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a75.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

An administrator configures an ArubaOS-Switch for per -user tunneled node. Which protocols does the switch use to establish and maintain a connection with the Aruba Mobility Controller (MO? (Select two.)

- A. GRE
- B. SSL
- C. PAPI
- D. IPSec

Correct Answer: AC

## QUESTION 2

Refer to the exhibit.

### Enforcement Policies - Enterprise Enforcement Policy

Summary

Enforcement

Rules

Enforcement:

Name:

Enterprise Enforcement Policy

Description:

Enforcement policies for local and remote employees

Enforcement Type:

RADIUS

Default Profile:

[Deny Access Profile]

Rules:

Rules Evaluation Algorithm: Evaluate all

Conditions

Actions

1. (Tips:Posture EQUALS HEALTHY (0))  
AND (Tips:Role MATCHES\_ANY Remote Worker  
Role Engineer  
testqa)

[RADIUS] EMPLOYEE\_VLAN, [RADIUS] Remote Employee ACL

2. (Tips:Role EQUALS Senior\_Mgmt)  
AND (Date:Day-of-Week NOT\_BELONGS\_TO Saturday, Sunday)

[RADIUS] EMPLOYEE\_VLAN

3. (Tips:Role EQUALS San Jose HR Local)  
AND (Tips:Posture EQUALS HEALTHY (0))

HR VLAN

4. (Tips:Role EQUALS [Guest])  
AND (Connection:SSID CONTAINS guest)

[RADIUS] WIRELESS\_GUEST\_NETWORK

5. (Tips:Role EQUALS Remote Worker)  
AND (Tips:Posture NOT\_EQUALS HEALTHY (0))

RestrictedACL

Based on the Enforcement Policy configuration, when a user with Role Engineer connects to the network and the posture token assigned is Unknown, which Enforcement Profile will be applied?

- A. EMPLOYEE\_VLAN
- B. RestrictedACL
- C. Deny Access Profile
- D. HR VLAN
- E. Remote Employee ACL

Correct Answer: C



### QUESTION 3

A company requires AOS-Switches at the campus core. The switches:

Will act as the default gateways for several campus VLANs  
Must provide redundancy for their services and tolerate the loss of a link or an entire switch  
Must recover from the failure of one of the switches within a second or less

VRRP and MSTP are proposed to meet these requirements. What is an issue with this proposal?

- A. VRRP provides redundancy against lost links but not a failed switch.
- B. VRRP provides routing redundancy but not default gateway redundancy.
- C. VRRP does not interoperate with MSTP.
- D. VRRP takes longer than a second to fail over.

Correct Answer: D

### QUESTION 4

Refer to the exhibit.

Configuration » Authentication » Sources » Add - remotelab AD

#### Authentication Sources - remotelab AD

Summary	General	Primary	Attributes
Specify filter queries used to fetch authentication and authorization attributes			
Filter Name	Attribute Name	Alias Name	Enabled As
1. Authentication	dn	UserDN	-
	department	Department	Role, Attribute
	title	Title	Attribute
	company	company	-
	memberOf	memberOf	Role, Attribute
	telephoneNumber	Phone	Attribute
	mail	Email	Attribute

Exhibit: accp67-312

Based on the Attribute configuration shown, which statement accurately describes the status of attribute values?

- A. Only the attribute values of department and memberOf can be used in role mapping policies.
- B. The attribute values of department, title, memberOf, telephoneNumber, and mail are directly applied as ClearPass.
- C. Only the attribute value of company can be used in role mapping policies, not the other attributes.
- D. The attribute values of department and memberOf are directly applied as ClearPass roles.
- E. Only the attribute values of title, telephoneNumber, and mail can be used in role mapping policies.



Correct Answer: D

---

#### QUESTION 5

What must an OSPF router do when it receives a link state update?

- A. It must participate in a new election for the Designated Router and Backup DR.
- B. It must initiate a graceful restart timer.
- C. It must re-establish adjacency with its Designated Router and Backup DR.
- D. It must run the shortest path first algorithm.

Correct Answer: D

[Latest HPE6-A75 Dumps](#)

[HPE6-A75 Study Guide](#)

[HPE6-A75 Braindumps](#)