



# HPE6-A78<sup>Q&As</sup>

Aruba Certified Network Security Associate

**Pass HP HPE6-A78 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe6-a78.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

What is one way that WPA3-PerSonal enhances security when compared to WPA2- Personal?

- A. WPA3-Perscn3i is more secure against password leaking Because all users nave their own username and password
- B. WPA3-Personai prevents eavesdropping on other users\\' wireless traffic by a user who knows the passphrase for the WLAN.
- C. WPA3-Personai is more resistant to passphrase cracking Because it requires passphrases to be at least 12 characters
- D. WPA3-Personal is more complicated to deploy because it requires a backend authentication server

Correct Answer: A

## QUESTION 2

Refer to the exhibit.

The screenshot shows the Aruba Mobility Controller (MC) configuration interface. The 'Auth Servers' tab is selected, displaying a table of 'Server Groups'. The 'MyEmployees\_dot1\_svg' group is highlighted, showing it has 1 server. Below this, the 'Servers' table for the 'MyEmployees\_dot1\_svg' group is shown, listing a server named 'clearpass' of type 'RADIUS' with IP address '10.5.5.5' and match rules '0'.

NAME	SERVICES	FAIL THROUGH	LOAD BALANCE	SERVER RULES
default	1	--	--	1
internal	1	--	--	1
MyEmployees_dot1_svg	1	--	--	0

  

NAME	TYPE	IP ADDRESS	TRIM FQDN	MATCH RULES
clearpass	RADIUS	10.5.5.5	--	0

You have set up a RADIUS server on an ArubaOS Mobility Controller (MC) when you created a WLAN named "MyEmployees .You now want to enable the MC to accept change of authorization (CoA) messages from this server for wireless sessions on this WLAN.

What Is a part of the setup on the MC?

- A. Create a dynamic authorization, or RFC 3576, server with the 10.5.5.5 address and correct shared secret.
- B. Install the root CA associated with the 10 5.5.5 server\\'s certificate as a Trusted CA certificate.
- C. Configure a ClearPass username and password in the MyEmployees AAA profile.
- D. Enable the dynamic authorization setting in the "clearpass" authentication server settings.



---

Correct Answer: B

---

### QUESTION 3

What correctly describes the Pairwise Master Key (PMK) in the specified wireless security protocol?

- A. In WPA3-Enterprise, the PMK is unique per session and derived using Simultaneous Authentication of Equals.
- B. In WPA3-Personal, the PMK is unique per session and derived using Simultaneous Authentication of Equals.
- C. In WPA3-Personal, the PMK is derived directly from the passphrase and is the same for every session.
- D. In WPA3-Personal, the PMK is the same for each session and is communicated to clients that authenticate

Correct Answer: A

---

### QUESTION 4

- A. the match method
- B. the detecting devices
- C. the match type
- D. the confidence level

Correct Answer: A

---

### QUESTION 5

What distinguishes a Distributed Denial of Service (DDoS) attack from a traditional Denial of service attack (DoS)?

- A. A DDoS attack originates from external devices, while a DoS attack originates from internal devices
- B. A DDoS attack is launched from multiple devices, while a DoS attack is launched from a single device
- C. A DoS attack targets one server, a DDoS attack targets all the clients that use a server
- D. A DDoS attack targets multiple devices, while a DoS is designed to incapacitate only one device

Correct Answer: A

[HPE6-A78 PDF Dumps](#)

[HPE6-A78 VCE Dumps](#)

[HPE6-A78 Exam Questions](#)