



# ISTQB-TAE<sup>Q&As</sup>

ISTQB Certified Tester Advanced Level-Test Automation Engineering

**Pass BCS ISTQB-TAE Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/istqb-tae.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by BCS Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Your goal is to verify completeness, consistency and correct behavior of an automated test suite. The TAS has been proven to successfully install in the SUT environment. All the preliminary checks to verify the correct functioning of the automated test environment and test tool configuration, installation and setup have successfully completed. Which of the following is NOT a relevant check for achieving your goal in this scenario?

- A. Checking whether all the test cases contain the expected results
- B. Checking whether the post condition have been fulfilled for all the test cases
- C. Checking whether the loading of the TAS is repeatable in the SUT environment
- D. Checking whether all the test cases produce repeatable outcomes

Correct Answer: D

---

### QUESTION 2

Which of the following statements about the reuse of TAS artefacts is TRUE?

- A. Reusable TAS artefacts can include components (or parts of components) associated with different layers of the TAA
- B. To enable reuse of TAS artefacts, a good design for reuse is built into the TAA and to further action are needed during the TAS lifecycle
- C. Communications maintenance and improvements for reusing TAS artefacts are modify addressed during the design of the TAA
- D. Reusable TAS artifacts associated with the definition layer of the TAA include the adaptors to the SUT components and/or interfaces

Correct Answer: B

---

### QUESTION 3

If you are tracking the frequency that a test automation code reports a defect that is not really a defect, what metric are you gathering?

- A. Tool scripting metrics
- B. Automation code defect density
- C. Trend metrics
- D. The number of false-fail results

Correct Answer: D

Reference: <https://www.sealights.io/regression-testing/11-test-automation-metrics-and-their-pros-cons/>



#### QUESTION 4

Consider a TAS that exclusively uses the APIs of a SUT. To make this work, significant changes have been required to the SUT by adding a set of dedicated test interfaces to the APIs. All the automated tests will use these test interfaces when interacting with the SUT. Assume that you are currently verifying the correctness of the automated test environment and test tool setup.

Which of the following would you expect to be the MOST specific risk associated with this scenario?

- A. The connectivity from the TAS to the dedicated test interfaces will not work
- B. The process of configuring the TAS will be error-prone due to manual intervention
- C. The automated test cases will not contain the expected result
- D. False alarms, that are unlikely to occur in the real world, will be observed during testing

Correct Answer: D

---

#### QUESTION 5

Which of the following is NOT an advantage of test automation?

- A. The ability to perform tests which would be difficult or impossible to execute manually
- B. The ability to run more tests in less time and therefore to make it possible to run them more often
- C. The ability to find more defects with the same tests, compared to executing the same test manually
- D. The ability to enable a better use of skilled testers by freeing them from repetitive and boring tasks

Correct Answer: C

[Latest ISTQB-TAE Dumps](#)

[ISTQB-TAE Practice Test](#)

[ISTQB-TAE Exam Questions](#)