



VCE & PDF

GeekCert.com

<https://www.geekcert.com/javascript-developer-i.html>

2024 Latest geekcert JAVASCRIPT-DEVELOPER-I PDF and VCE dumps
Download

JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/javascript-developer-i.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A developer is setting up a new Node.js server with a client library that is built using events and callbacks.

The library:

Will establish a web socket connection and handle receipt of messages to the server Will be imported with require, and made available with a variable called we.

The developer also wants to add error logging if a connection fails.

Given this info, which code segment shows the correct way to set up a client with two events that listen at execution time?

- A. `ws.connect (() => { console.log('connected to client\'); }).catch((error) => { console.log('ERROR\ ', error); });`
- B. `ws.on('connect\ ', () => { console.log('connected to client\ '); ws.on('error\ ', (error) => { console.log('ERROR\ ', error); }); });` C. `ws.on('connect\ ', () => { console.log('connected to client\ '); }); ws.on('error\ ', (error) => { console.log('ERROR\ ', error); });`
- C. `try{ ws.connect (() => { console.log('connected to client\ '); }); } catch(error) { console.log('ERROR\ ', error); }; }`

Correct Answer: C

QUESTION 2

Refer to the expression below:

Let `x = (1\ + 2) == (6 * 2);`

How should this expression be modified to ensure that evaluates to false?

- A. Let `x = (1\ + ` 2\`) == (6 * 2);`
- B. Let `x = (1\ + 2) == (6 * 2);`
- C. Let `x = (1 + 2) == (`6\` / 2);`
- D. Let `x = (1 + 2) == (6 / 2);`

Correct Answer: B

QUESTION 3

A team that works on a big project uses npm to deal with projects dependencies.

A developer added a dependency does not get downloaded when they execute `npm install`.

Which two reasons could be possible explanations for this?

Choose 2 answers



- A. The developer missed the option --add when adding the dependency.
- B. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.
- C. The developer missed the option --save when adding the dependency.
- D. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.

Correct Answer: BCD

QUESTION 4

A developer wants to leverage a module to print a price in pretty format, and has imported a method as shown below:

Import printPrice from `/path/PricePrettyPrint.js`;

Based on the code, what must be true about the printPrice function of the PricePrettyPrint module for this import to work?

- A. printPrice must be a named export
- B. printPrice must be an all export
- C. printPrice must be the default export
- D. printPrice must be a multi export

Correct Answer: C

QUESTION 5

Refer to the code below:

```
const car = {  
  price: 100,  
  getPrice: function() {  
    return this.price;  
  }  
};  
  
const customCar = Object.create(car);  
  
customCar.price = 70;  
  
delete customCar.price; const result = customCar.getPrice();
```

What is the value of result after the code executes?



- A. 100
- B. undefined
- C. null
- D. 70

Correct Answer: A

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I Practice Test](#) [I Exam Questions](#) [I Braindumps](#)