



VCE & PDF

GeekCert.com

<https://www.geekcert.com/javascript-developer-i.html>

2024 Latest geekcert JAVASCRIPT-DEVELOPER-I PDF and VCE dumps
Download

JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/javascript-developer-i.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A developer wants to use try...catch statement to catch any error that countSheep () may throw and pass it to a handleError () function. What is the correct implementation of the try...catch?

- A.

```
try {  
    setTimeout(function() {  
        countSheep();  
    }, 1000);  
} catch (e) {  
    handleError(e);  
}
```
- B.

```
try {  
    countSheep();  
} finally {  
    handleError(e);  
}
```
- C.

```
setTimeout(function() {  
    try {  
        countSheep();  
    } catch (e) {  
        handleError(e);  
    }  
}, 1000);
```
- D.

```
try {  
    countSheep();  
} handleError (e){  
    catch(e);
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

QUESTION 2

A developer creates a generic function to log custommessages in the console. To do this, the function below is



implemented.

```
01 function logStatus(status){  
02 console.log(`Answer goes here*/${`Item status is: %s\\`, status);  
03 }
```

Which three console logging methods allow the use of string substitution in line 02?

- A. Assert
- B. Log
- C. Message
- D. Info
- E. Error

Correct Answer: BDE

QUESTION 3

Given the code below:

Which three code segments result in a correct conversion from number to string? Choose 3 answers

- A. let strValue = numValue. toString();
- B. let strValue = * * 4 numValue;
- C. let strValue = numValue.toText ();
- D. let scrValue = String(numValue);
- E. let strValue = (String)numValue;

Correct Answer: ABD

QUESTION 4

Refer to following code block:

```
Let array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,];
```

```
Let output =0;
```

```
For (let num of array){
```

```
if (output >0){
```

```
Break;
```



```
}  
  
if(num % 2 == 0){  
  
Continue;  
  
}  
  
Output +=num;
```

What is the value of output after the code executes?

- A. 16
- B. 36
- C. 11
- D. 25

Correct Answer: A

QUESTION 5

Refer to code below:

```
function Person() {  
  
this.firstName = 'John';  
  
}  
  
Person.prototype = {  
  
Job: x => `Developer`  
  
};  
  
const myFather = new Person();  
  
const result=myFather.firstName + ` ` + myFather.job();
```

What is the value of the result after line 10 executes?

- A. Error: myFather.job is not a function
- B. Undefined Developer
- C. John undefined
- D. John Developer

Correct Answer: D



VCE & PDF

GeekCert.com

<https://www.geekcert.com/javascript-developer-i.html>

2024 Latest geekcert JAVASCRIPT-DEVELOPER-I PDF and VCE dumps

Download

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I VCE Dumps](#) [I Study Guide](#) [I Exam Questions](#)