



VCE & PDF

GeekCert.com

<https://www.geekcert.com/javascript-developer-i.html>

2024 Latest geekcert JAVASCRIPT-DEVELOPER-I PDF and VCE dumps
Download

JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/javascript-developer-i.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the code below:

```
01 function execute() {  
02   return new Promise((resolve, reject) => reject());  
03 }  
04 let promise = execute();  
05  
06 promise  
07   .then(() => console.log('Resolved1'))  
08   .then(() => console.log('Resolved2'))  
09   .then(() => console.log('Resolved3'))  
10   .catch(() => console.log('Rejected'))  
11   .then(() => console.log('Resolved4'));
```

What is the result when the Promise in the execute function is rejected?

- A. Resolved1 Resolved2 Resolved3 Resolved4
- B. Rejected
- C. Rejected Resolved
- D. Rejected1 Rejected2 Rejected3 Rejected Rejected Rejected4

Correct Answer: C

QUESTION 2

Which function should a developer use to repeatedly execute code at a fixed interval ?

- A. setInterval
- B. setTimeout
- C. setPeriod
- D. setInteria

Correct Answer: A



QUESTION 3

Refer to the code below: `Const pi = 3.1415326`, What is the data type of `pi`?

- A. Double
- B. Number
- C. Decimal
- D. Float

Correct Answer: B

QUESTION 4

A developer wrote the following code to test a `sum3` function that takes in an array of numbers and returns the sum of the first three numbers in the array, and the test passes.

A different developer made changes to the behavior of `sum3` to instead sum only the first two numbers present in the array.

```
01 let res = sum3([1, 4, 1]);  
02 console.assert(res === 6);  
03  
04 res = sum3([1, 5, 0, 5]);  
05 console.assert(res === 6);
```

Which two results occur when running this test on the updated `sum3` function? Choose 2 answers

- A. The line 05 assertion passes.
- B. The line 02 assertion passes.
- C. The line 02 assertion fails.
- D. The line 05 assertion fails.

Correct Answer: BD

QUESTION 5

A developer has two ways to write a function:

Option A:

```
function Monster() {
```



```
This.growl = () => {
```

```
  Console.log ("Grr!");
```

```
}
```

```
}
```

Option B:

```
function Monster() {};
```

```
Monster.prototype.growl =() => {
```

```
  console.log("Grr!");
```

```
}
```

After deciding on an option, the developer creates 1000 monster objects.

How many growl methods are created with Option A Option B?

- A. 1 growl method is created for Option A.1000 growl methods are created for Option B.
- B. 1000 growl method is created for Option A. 1 growl methods are created for Option B.
- C. 1000 growl methods are created regardless of which option is used.
- D. 1 growl method is created regardless of which option is used.

Correct Answer: B

[Latest JAVASCRIPT-DEVELOPER-I Dumps](#)

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I VCE Dumps](#)

[I Study Guide](#)