



JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/javascript-developer-i.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer writes the code below to calculate the factorial of a given number

```
function sum(number){  
return number * sum(number-1);  
}  
  
sum(3);
```

what is the result of executing the code.

- A. 0
- B. 6
- C. Error
- D. -Infinity

Correct Answer: C

QUESTION 2

A test has a dependency on `database.query`. During the test the dependency is replaced with an object called `database` with the method, `query`, that returns an array. The developer needs to verify how many times the method was called and

the arguments used each time.

Which two test approaches describe the requirement?

Choose 2 answers

- A. Integration
- B. Black box
- C. White box
- D. Mocking

Correct Answer: CD

QUESTION 3

Refer to the following code:



```
01 class Ship {
02   constructor(size) {
03     this.size = size;
04   }
05 }
06
07 class FishingBoat extends Ship {
08   constructor(size, capacity){
09     //Missing code
10     this.capacity = capacity;
11   }
12   displayCapacity() {
13     console.log('The boat has a capacity of ${this.capacity} people.');
```

Which statement should be added to line 09 for the code to display "The boat has a capacity of 10 people?"

- A. super.size = size;
- B. ship.size size;
- C. super (size);
- D. this.size = size;

Correct Answer: D

QUESTION 4

Given the following code: let x = null; console.log(typeof x); What is the output?

- A. "object"
- B. "undefined"
- C. "null"
- D. "x"

Correct Answer: A

QUESTION 5

Refer to the code below:

```
const addBy = ?
```



```
const addByEight =addBy(8);
```

```
const sum = addBYEight(50);
```

Which two functions can replace line 01 and return 58 to sum?

Choose 2 answers

A. `const addBy = function(num1){ return function(num2){ return num1 + num2; } }`

B. `const addBy = function(num1){ return num1 + num2; } }`

C. `const addBy = (num1) => num1 + num2 ;`

D. `const addBY = (num1) => (num2) => num1 + num2;`

Correct Answer: AD

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I VCE Dumps](#) [I Study Guide](#) [I Exam Questions](#)