



JN0-103^{Q&As}

Junos - Associate (JNCIA-Junos)

Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You configured the route filter shown in the exhibit.

```
{edit policy-options}
user@router# show
policy statement Policy One {
    term term-One{
        from {
            route-filter 172.35.0.0/16 orlonger;
        }
        then accept;
    }
}
```

In this scenario, which IP addresses would term-One accept?

- A. IP addresses that are part of the 172.35.0.0/16 network only.
- B. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the 172.35.0.0/16 and 172.36.0.0/16 subnets.
- C. IP addresses that are in a subnet of 172.35.0.0/16 network, but not IP addresses that are part of the 172.35.0.0/16 network itself.
- D. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in subnets of 172.35.0.0/16 network.

Correct Answer: A

QUESTION 2

How many host addresses are available in the 172.27.0.0/28 network?

- A. 6
- B. 14
- C. 28
- D. 30

Correct Answer: B



QUESTION 3

Which two statements about subnet masks are true? (Choose two.)

- A. If a bit is turned on (1), the corresponding bit in the IP address is used for the host portion.
- B. If a bit is turned off (0), the corresponding bit in the IP address is used for the host portion.
- C. If a bit is turned on (1), the corresponding bit in the IP address is used for the network prefix.
- D. If a bit is turned off (0), the corresponding bit in the IP address is used for the network prefix.

Correct Answer: BC

QUESTION 4

Click the Exhibit button.

```
[edit]
user@router# show system authentication-order
authentication-order [ radius password ];
```

A user attempts to log in to a Junos device. but the RADIUS server is unreachable. Referring to the exhibit, what is the default action of a Junos device in this scenario?

- A. The Junos device retries every 30 seconds until the connection is restored.
- B. The Junos device uses the local authentication database.
- C. The Junos device displays a RADIUS connection error.
- D. The Junos device prompts for a cached RADIUS password.

Correct Answer: C

QUESTION 5

Which two interfaces are considered physical interfaces? (Choose two.)

- A. ge-0/0/0
- B. et-7/1/4.0
- C. et-3/0/0:0.501
- D. xe-10/2/1

Correct Answer: AD



VCE & PDF

GeekCert.com

<https://www.geekcert.com/jn0-103.html>

2024 Latest geekcert JN0-103 PDF and VCE dumps Download

[JN0-103 VCE Dumps](#)

[JN0-103 Practice Test](#)

[JN0-103 Exam Questions](#)