

JN0-103^{Q&As}

Junos - Associate (JNCIA-Junos)

Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/jn0-103.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/jn0-103.html

2024 Latest geekcert JN0-103 PDF and VCE dumps Download

QUESTION 1

When multiple users are editing the configuration on a Junos device, what is the default behavior when a user issues a commit command?

- A. All valid configuration changes made by all users will take effect.
- B. The user\\'s configuration changes are committed; other users\\' configuration changes are still pending.
- C. The user will receive an error message disallowing a commit of the configuration.
- D. The user\\'s configuration changes are committed; other users will be exited from configuration mode.

Correct Answer: B

QUESTION 2

You have the policy configuration shown in the exhibit applied to a BGP peering. You determine that customer routes coming from the 10.1.1.0/24 network are being rejected Which action should be used to correct the problem? Exhibit Missing

- A. [edit policy-options policy-statement my-policy] user@router# copy term 2 to term 1
- B. [edit policy-options policy-statement my-policy] user@router# rename term 1 to term 3
- C. [edit policy-options policy-statement my-policy] user@router# copy term 2 to term 0
- D. [edit policy-options policy-statement my-policy] user@router# insert term 2 before term 1

Correct Answer: C

QUESTION 3

Which command will completely turn off a Junos device?

- A. request system halt
- B. request chassis fpc offline
- C. request system power-off
- D. request system recover

Correct Answer: C

QUESTION 4



https://www.geekcert.com/jn0-103.html 2024 Latest geekcert JN0-103 PDF and VCE dumps Download

Which command is used to load the rescue configuration?

- A. load replace rescue
- B. load merge rescue
- C. rollback rescue
- D. rollback

Correct Answer: C

QUESTION 5

What are two benefits realized by the disaggregated Junos OS? (Choose two.)

- A. There is increased flexibility to use different control plane versions.
- B. The Junos VM becomes hardware-independent and can be deployed on any hypervisor without modification.
- C. The architecture facilitates programmability through provisioning the control plane, the data path, and the platform APIs.
- D. The platform drivers and forwarding engine are removed from the control plane to increase performance.

Correct Answer: BC

JN0-103 PDF Dumps

JN0-103 VCE Dumps

JN0-103 Study Guide