



JN0-104^{Q&As}

Junos, Associate (JNCIA-Junos)

Pass Juniper JN0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-104.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button



You are connecting to a new device in your network and are presented with the information and prompt shown in the exhibit. Which three steps must be carried out to edit the configuration on this device? (Choose three.)

- A. Type configure at the > prompt.
- B. Log in using the root user with no password.
- C. Type cli at the = prompt
- D. Type cli at the > prompt
- E. Log in using the root user with the root 123 password.

Correct Answer: AB

QUESTION 2

Click the Exhibit button.



Referring to the exhibit, what happens when you filter the output of a command using the no-more parameter?



- A. The output is displayed in XML format.
- B. The output is displayed with no page breaks.
- C. The number of lines in the output are displayed.
- D. The last screen of information is displayed.

Correct Answer: B

Ref: | (pipe) | Junos OS | Juniper Networks

"| (pipe)

...

Description

Filter the output of an operational mode or a configuration mode command.

...

Options

...

no-more Display output all at once rather than one screen at a time.

..."

QUESTION 3

Click the Exhibit button.

Item	Version	Part number	Serial number	Description
Chassis			EBE7ABF9EA61	VSRX
Midplane	REV 08	750-058562	4229D770	VSRX
Pseudo CB 0				
Routing Engine 0		BUILTIN	BUILTIN	VSRX-S
FPC 0	REV 07	611-049549	RL3714040884	FPC
PIC 0		BUILTIN	BUILTIN	VSRX DPDK GE

Referring to the exhibit, which command was issued to generate the output?

- A. show chassis routing-engine
- B. show chassis hardware
- C. show chassis environment
- D. show chassis fpc

Correct Answer: B



QUESTION 4

Click the Exhibit button.

[edit]

```
user@router# show system authentication-order  
authentication-order [ radius password ];
```

A user attempts to log in to a Junos device. but the RADIUS server is unreachable.

Referring to the exhibit, what is the default action of a Junos device in this scenario?

- A. The Junos device retries every 30 seconds until the connection is restored.
- B. The Junos device uses the local authentication database.
- C. The Junos device displays a RADIUS connection error.
- D. The Junos device prompts for a cached RADIUS password.

Correct Answer: C

QUESTION 5

What are two protocols that the Junos OS uses to archive configuration files remotely? (Choose two.)

- A. SCP
- B. HTTP
- C. SFTP
- D. FTP

Correct Answer: AD

[Latest JN0-104 Dumps](#)

[JN0-104 PDF Dumps](#)

[JN0-104 VCE Dumps](#)