

# JN0-1101<sup>Q&As</sup>

Juniper Networks Certified Design Associate

# Pass Juniper JN0-1101 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/jn0-1101.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.geekcert.com/jn0-1101.html 2024 Latest geekcert JN0-1101 PDF and VCE dumps Download

#### **QUESTION 1**

In your network design, you must ensure that all user sessions passing through an SRX Series device remain active if there is a device failure.

Which mechanism will accomplish this design requirement?

- A. chassis clustering
- B. MC-LAG
- C. Virtual Chassis
- D. VRRP

Correct Answer: A

#### **QUESTION 2**

What are two valid reasons to enable route summarization? (Choose two.)

- A. to reduce routing overhead
- B. to reduce the coexistence of BGP with IGPs
- C. to benefit from a hierarchical IP addressing plan
- D. to enable the use of more than one routing protocol

Correct Answer: AC

#### **QUESTION 3**

What are two features used to enable high availability? (Choose two.)

- A. VRRP
- B. chassis clustering
- C. full-duplex mode
- D. SNMP

Correct Answer: AB

### **QUESTION 4**

Which component triggers the quarantine of an infected endpoint?

## https://www.geekcert.com/jn0-1101.html 2024 Latest geekcert JN0-1101 PDF and VCE dumps Download

- A. ALG
- B. firewall
- C. Policy Enforcer
- D. switch

Correct Answer: C

#### **QUESTION 5**

Your campus network is rolling out a BYOD policy. Your design must ensure that guest users are restricted from accessing internal network resources.

Which two actions would solve this problem? (Choose two.)

- A. Guest users should be placed in an isolated guest routing instance.
- B. Guest users should be placed in an isolated guest VLAN.
- C. Guest users should be placed in a non-isolated guest routing instance.
- D. Guest users should be placed in a non-isolated guest VLAN.

Correct Answer: AB

<u>Latest JN0-1101 Dumps</u> <u>JN0-1101 VCE Dumps</u>

JN0-1101 Practice Test