

## JN0-1302<sup>Q&As</sup>

Data Center Design Specialist (JNCDS-DC)

## Pass Juniper JN0-1302 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/jn0-1302.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF GeekCert.com

### https://www.geekcert.com/jn0-1302.html

2024 Latest geekcert JN0-1302 PDF and VCE dumps Download

#### **QUESTION 1**

What are two considerations when designing an IP fabric? (Choose two.)

- A. Every leaf node should have an uplink to every spine node.
- B. Leaf nodes and spine nodes should be the same type of device.
- C. Uplinks from servers to the leaf nodes should be 40GbE links.
- D. All spine nodes should be the same type of device.

Correct Answer: AC

#### **QUESTION 2**

You must implement security services between VMs that are hosted on the same server. You need to perform Layer 3 routing, UTM, IPS, and NAT services while minimizing space and resource usage.

Which Junos product will satisfy the requirements?

- A. MX
- B. SRX
- C. vMX
- D. vSRX

Correct Answer: D

#### **QUESTION 3**

You are asked to design a new data center connection where connections between switches will be encrypted for Layer 2 traffic.

In this scenario, which solution will provide the required encryption?

- A. SSL
- B. TLS
- C. IPsec
- D. MACsec

Correct Answer: D

## QUESTION 4



#### https://www.geekcert.com/jn0-1302.html

2024 Latest geekcert JN0-1302 PDF and VCE dumps Download

You want to reduce the over-subscription ratio of an IP fabric between the leaf nodes and spine nodes. Which two actions will accomplish this goal? (Choose two.)

- A. Add spine nodes to the fabric.
- B. Increase bandwidth between the spine and leaf.
- C. Add leaf nodes to the fabric.
- D. Add aggregate links to the servers.

Correct Answer: AB

#### **QUESTION 5**

You are designing a Data Center Interconnect (DCI). You must ensure that the local PE learns the local MAC addresses and then distributes these learned MAC addresses to the remote PEs using the control

plane.

In this scenario, which DCI solution will satisfy the requirements?

- A. Ethernet VPN
- B. CCC
- C. BGP Layer 2 VPNs
- D. BGP Layer 2 circuits

Correct Answer: C

JN0-1302 Practice Test

JN0-1302 Exam Questions

JN0-1302 Braindumps