



# JN0-1331<sup>Q&As</sup>

Security Design - Specialist (JNCDS-SEC)

**Pass Juniper JN0-1331 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-1331.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You are designing a data center interconnect between two sites across a service provider Layer 3 VPN service. The sites require Layer 2 connectivity between hosts, and the connection must be secure.

In this scenario, what will accomplish this task?

- A. EVPN over IPsec
- B. MACsec encryption
- C. SSL VPN encryption
- D. stacked VLAN tagging

Correct Answer: B

---

### QUESTION 2

You are asked to deploy a security solution in your data center that ensures all traffic flows through the SRX Series devices.

Which firewall deployment method meets this requirement?

- A. one-arm
- B. two-arm
- C. transparent
- D. inline


Correct Answer: D

Reference: <https://www.juniper.net/us/en/local/pdf/implementation-guides/8010046-en.pdf>

---

### QUESTION 3

Click the Exhibit button.



You are designing the virtualized server deployment shown in the exhibit in your data center. The vSRX device is acting as a Layer 2 firewall and the two VMs must communicate through the vSRX device.

Which two actions must you perform to accomplish this task? (Choose two.)

- A. Place both VMs in the same vSwitch
- B. Place both VMs in the same VLAN
- C. Place both VMs in different vSwitches
- D. Place both VMs in different VLANs

Correct Answer: BC

#### QUESTION 4

You must allow applications to connect to external servers. The session has embedded IP address information to enable the remote system to establish a return session.

In your design, which function should be implemented?

- A. source NAT
- B. application layer gateway
- C. destination NAT



---

D. HTTP redirect

Correct Answer: A

---

### QUESTION 5

You are asked to provide a design proposal for a campus network. As part of the design, the customer requires that all end user devices must be authenticated before being granted access to their Layer 2 network.

Which feature meets this requirement?

- A. IPsec
- B. 802.1X
- C. NAT
- D. ALGs

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/802-1x-authenticationswitching-devices.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/802-1x-authenticationswitching-devices.html)

[JN0-1331 VCE Dumps](#)

[JN0-1331 Study Guide](#)

[JN0-1331 Exam Questions](#)